

## WAGO Marking

Full Line Catalog, Volume 6 – Edition 2019/2020

6



# WAGO Full Line Catalogs



## Volume 1, WAGO Rail-Mount Terminal Block Systems

- Rail-Mount Terminal Blocks
- Rail-Mount Terminal Blocks with Pluggable Connector (X-COM®-SYSTEM)
- Patchboard Systems
- Terminal Strips
- PUSH WIRE® Connectors for Junction Boxes
- Lighting Connectors
- Shield Connecting System



## Volume 2, WAGO PCB Terminal Blocks and WAGO Connectors

- PCB Terminal Blocks
- THR/SMD PCB Terminal Blocks
- *MULTI CONNECTION SYSTEM (MCS)*
- Pluggable PCB Terminal Blocks
- Feedthrough Terminal Blocks
- Specialty Connectors
- Empty Housings



## Volume 3, Automation Technology

- Solutions & Software
- Operating & Monitoring
- Controllers
- Modular I/O-SYSTEM, IP20
- Industrial Switches
- Radio Technology
- IP67 Sensor/Actuator Boxes, IP67 Cables and Connectors



## Volume 4, WAGO Interface Electronic

- Relay and Optocoupler Modules
- Signal Conditioners and Isolation Amplifiers
- Current and Energy Measurement Technology
- Power Supplies
- Interface Modules and System Wiring
- Overvoltage Protection
- Empty Housings



## Volume 5, WAGO Pluggable Connection System WINSTA®

- Pluggable Connectors
- Snap-In Device Connectors
- Pluggable PCB Connectors
- Distribution Connectors
- Cable Assemblies
- Flat Cable Systems
- Distribution Boxes



## Volume 6, WAGO Marking

- Printer
- Software
- Terminal Block Marking
- Cable and Conductor Marking
- Device Marking
- Marker Carriers

Volume 6, WAGO Marking Accessories

|                                                                                     |                                                           | Page |
|-------------------------------------------------------------------------------------|-----------------------------------------------------------|------|
|    | WAGO Thermal Transfer Smart Printer                       | 6    |
|    | WAGO Smart Data                                           | 16   |
|    | WAGO Products for the WAGO Thermal Transfer Smart Printer | 24   |
|    | Printed WAGO Products                                     | 38   |
|    | Plain WAGO Products                                       | 54   |
|   | WAGO Marker Carriers                                      | 62   |
|  | Indexes and Addresses                                     | 74   |

1

2

3

4

5

6

7

## Operating WAGO Connection Technologies

Please follow the applicable product-specific termination instructions.

### PUSH-IN CAGE CLAMP®



Push-in CAGE CLAMP® terminates the following copper conductors:  
solid



stranded



fine-stranded,  
also with tinned  
single strands



fine-stranded,  
tip-bonded



fine-stranded,  
with ferrule  
(gastight crimped)



fine-stranded,  
with pin terminal  
(gastight crimped)

The universal connection with an additional advantage:


Push-in connection

Terminate solid and stranded (Class B 7 strands or less), as well as ferruled conductors, by simply pushing them in – no tools required.

Termination for all conductor types:

- Open clamping unit.
- Insert the conductor.
- Release clamp – done!

### CAGE CLAMP®



CAGE CLAMP® terminates the following copper conductors:  
solid



stranded



fine-stranded,  
also with tinned  
single strands



fine-stranded,  
tip-bonded



fine-stranded,  
with ferrule  
(gastight crimped)



fine-stranded,  
with pin terminal  
(gastight crimped)

The universal connection for solid, stranded and fine-stranded conductors

Termination:

- Open clamping unit.
- Insert the conductor.
- Release clamp – done!

## Operating WAGO Connection Technologies

Please follow the applicable product-specific termination instructions.

### POWER CAGE CLAMP®



POWER CAGE CLAMP terminates the following copper conductors: solid



stranded



fine-stranded, also with tinned single strands




fine-stranded, with ferrule (gastight crimped)

The universal connection for conductors larger than 35 mm<sup>2</sup> (2 AWG)

Termination:

- Open clamp by turning a T-wrench counter-clockwise.
- Press the integrated latch to open clamping unit for hands-free wiring.
- Insert the conductor.
- A small counter-clockwise rotation closes the clamp, securing conductor.

### PUSH WIRE®



PUSH WIRE® terminates the following copper conductors: solid

PUSH WIRE® connection for solid and stranded conductors (depending on the model used)

Termination:

Tool-free, twist-free terminations for solid and rigid stranded conductors – simply push into the unit.

## WAGO Marking Accessories and Appropriate Product Series Selection Guide

|                                                                                                              |        | Marking Strips |     |    | WMB Inline Markers (Reel) |           |           | WMB Markers (Card) |           |           | Mini-WSB Markers (Reel and Card) |          |          | Self-Adhesive Marking Strips | Direct Marking on Product |
|--------------------------------------------------------------------------------------------------------------|--------|----------------|-----|----|---------------------------|-----------|-----------|--------------------|-----------|-----------|----------------------------------|----------|----------|------------------------------|---------------------------|
| Width (mm)                                                                                                   |        |                | 7.5 | 11 | 3.5                       | 4 ... 4.2 | 5 ... 5.2 | 3.5                | 4 ... 4.2 | 5 ... 5.2 |                                  | 5 (reel) | 5 (card) |                              |                           |
| WAGO Rail-Mount Terminal Blocks TOPJOB® S                                                                    |        |                |     |    |                           |           |           |                    |           |           |                                  |          |          |                              |                           |
| 2000, 2200 Series                                                                                            | 3.5    |                |     | ■  | ■                         |           |           | ■                  |           |           |                                  |          |          |                              |                           |
| 2001, 2201 Series                                                                                            | 4.2    |                |     | ■  | □                         | ■         |           | □                  | ■         |           |                                  |          |          |                              |                           |
| 2002, 2202, 2102 Series                                                                                      | 5.2    |                |     | ■  |                           |           | ■         |                    | □         | ■         |                                  | □        | □        |                              |                           |
| 2003 Series                                                                                                  | 5.2    |                |     | ■  |                           |           | ■         |                    |           | ■         |                                  | □        | □        |                              |                           |
| 2004, 2204 Series                                                                                            | 6.2    |                |     | ■  |                           |           | ●         |                    |           | ●         |                                  | □        | □        |                              |                           |
| 2005 Series                                                                                                  | 6.2    |                |     | ■  |                           |           | ●         |                    |           | ●         |                                  | □        | □        |                              |                           |
| 2006, 2206, 2106 Series                                                                                      | 7.5    |                |     | ■  |                           |           | ●         |                    |           | ●         |                                  | □        | □        |                              |                           |
| 2007 Series                                                                                                  | 8      |                |     | ■  |                           |           | ●         |                    |           | ●         |                                  | □        | □        |                              |                           |
| 2010, 2210 Series                                                                                            | 10     |                |     | ■  |                           |           | ●         |                    |           | ●         |                                  | □        | □        |                              |                           |
| 2016, 2216, 2116 Series                                                                                      | 12     |                |     | ■  |                           |           | ●         |                    |           | ●         |                                  | □        | □        |                              |                           |
| WAGO Rail-Mount Terminal Blocks "Classic"                                                                    |        |                |     |    |                           |           |           |                    |           |           |                                  |          |          |                              |                           |
| 270 Series                                                                                                   | 5      |                |     |    |                           |           | ■         |                    |           | ■         |                                  | □        | □        |                              |                           |
| 279 Series                                                                                                   | 4      |                |     |    |                           | ■         |           | ●                  | ■         |           |                                  |          |          |                              |                           |
| 280 Series                                                                                                   | 5      |                |     |    |                           | □         | ■         |                    | □         | ■         |                                  |          |          |                              |                           |
| 281 Series                                                                                                   | 6      |                |     |    |                           | ●         | ■         |                    | ●         | ■         |                                  |          |          |                              |                           |
| 282 Series                                                                                                   | 8      |                |     |    |                           | ●         | ■         |                    | ●         | ■         |                                  |          |          |                              |                           |
| 283 Series                                                                                                   | 12     |                |     |    |                           | ●         | ■         |                    | ●         | ■         |                                  |          |          |                              |                           |
| 284 Series                                                                                                   | 10     |                |     |    |                           | ●         | ■         |                    | ●         | ■         |                                  |          |          |                              |                           |
| 285 Series                                                                                                   | 16     |                |     |    |                           | ●         | ■         |                    | ●         | ■         |                                  |          |          |                              |                           |
| 880 Series                                                                                                   | 5      |                |     |    |                           | ●         | ■         |                    | ●         | ●         |                                  | □        | □        |                              |                           |
| WAGO Rail-Mount Terminal Blocks TOPJOB® "Classic"                                                            |        |                |     |    |                           |           |           |                    |           |           |                                  |          |          |                              |                           |
| 780 Series                                                                                                   | 5      |                |     |    |                           | □         | ■         |                    | □         | ■         |                                  |          |          |                              |                           |
| 781 Series                                                                                                   | 6      |                |     |    |                           | ●         | ■         |                    | ●         | ■         |                                  |          |          |                              |                           |
| 782 Series                                                                                                   | 8      |                |     |    |                           | ●         | ■         |                    | ●         | ■         |                                  |          |          |                              |                           |
| 783 Series                                                                                                   | 12     |                |     |    |                           | ●         | ■         |                    | ●         | ■         |                                  |          |          |                              |                           |
| 784 Series                                                                                                   | 10     |                |     |    |                           | ●         | ■         |                    | ●         | ■         |                                  |          |          |                              |                           |
| 785 Series                                                                                                   | 16     |                |     |    |                           | ●         | ■         |                    | ●         | ■         |                                  |          |          |                              |                           |
| WAGO Rail-Mount Terminal Blocks with a Pluggable Connector X-COM®-SYSTEM                                     |        |                |     |    |                           |           |           |                    |           |           |                                  |          |          |                              |                           |
| 769 Series (X-COM®)                                                                                          | 5      |                |     |    |                           |           |           |                    |           |           |                                  | ■        | ■        |                              | ■                         |
| 870 Series (X-COM®)                                                                                          | 5      |                | □   |    |                           | ●         | ■         |                    | ●         | ■         |                                  | □        | □        |                              | ■                         |
| WAGO Rail-Mount Terminal Blocks with a Pluggable Connector X-COM®S-SYSTEM                                    |        |                |     |    |                           |           |           |                    |           |           |                                  |          |          |                              |                           |
| 2020 Series (X-COM® S Mini)                                                                                  | 3.5    |                |     | ■  | ■                         |           |           | ■                  |           |           |                                  | □        | □        |                              | ■                         |
| 2022 Series (X-COM® S)                                                                                       | 5.2    |                |     | ■  |                           | ●         | ■         |                    | ●         | ■         |                                  | □        | □        |                              | ■                         |
| WAGO Rail-Mount Terminal Blocks "Mini"                                                                       |        |                |     |    |                           |           |           |                    |           |           |                                  |          |          |                              |                           |
| 260 Series                                                                                                   | 5 / 8  |                |     |    |                           |           |           |                    |           |           |                                  |          |          | ■                            |                           |
| 261 Series                                                                                                   | 6 / 0  |                |     |    |                           |           |           |                    |           |           |                                  |          |          | ■                            |                           |
| 262 Series                                                                                                   | 7 / 12 |                |     |    |                           |           |           |                    |           |           |                                  |          |          | ■                            |                           |
| 264 Series                                                                                                   | 6 / 10 |                |     |    |                           |           |           |                    |           |           |                                  | ■        | ■        |                              |                           |
| 862 Series                                                                                                   | 12     |                | ■   |    |                           |           |           |                    |           |           |                                  |          |          |                              |                           |
| 869 Series                                                                                                   | 5      |                | □   |    |                           | ●         | ■         |                    | ●         | ■         |                                  | □        | □        |                              |                           |
| WAGO Printer                                                                                                 |        |                |     |    |                           |           |           |                    |           |           |                                  |          |          |                              |                           |
| Thermal Transfer Printer Smart Printer                                                                       |        |                | ■   | ■  | ■                         | ■         | ■         |                    |           |           |                                  | ■        |          |                              |                           |
| Can be ordered via Smart Designer Configuration Software from <a href="http://www.wago.com">www.wago.com</a> |        |                |     |    |                           |           |           | ■                  | ■         | ■         |                                  |          |          |                              |                           |

■ perfectly suited (e.g., marker of maximum size)

□ suitable

● only individual markers

△ only suitable with carrier

|                                                                                                                                 |                   | Marking Strips |     |    | WMB Inline Markers (Reel) |           |           | WMB Markers (Card) |           |           | Mini-WSB Markers (Reel and Card) |          |          | Self-Adhesive Marking Strips | Direct Marking on Product |
|---------------------------------------------------------------------------------------------------------------------------------|-------------------|----------------|-----|----|---------------------------|-----------|-----------|--------------------|-----------|-----------|----------------------------------|----------|----------|------------------------------|---------------------------|
|                                                                                                                                 | Width (mm)        | 7              | 7.5 | 11 | 3.5                       | 4 ... 4.2 | 5 ... 5.2 | 3.5                | 4 ... 4.2 | 5 ... 5.2 |                                  | 5 (reel) | 5 (card) |                              |                           |
| WAGO Patchboard Systems                                                                                                         |                   |                |     |    |                           |           |           |                    |           |           |                                  |          |          |                              |                           |
| 727 Series                                                                                                                      | 7.62              |                |     |    |                           | ●         | ●         |                    | ●         | ●         |                                  |          |          |                              | □                         |
| WAGO High-Current Terminal Blocks (POWER CAGE CLAMP)                                                                            |                   |                |     |    |                           |           |           |                    |           |           |                                  |          |          |                              |                           |
| 285 Series                                                                                                                      | 16 / 20 / 25 / 32 |                |     | △  |                           |           | ●         |                    |           | ●         |                                  |          |          |                              |                           |
| WAGO MICRO PUSH WIRE® Connectors for Junction Boxes                                                                             |                   |                |     |    |                           |           |           |                    |           |           |                                  |          |          |                              |                           |
| 243 Series                                                                                                                      |                   |                |     |    |                           |           |           |                    |           |           |                                  |          |          | ■                            |                           |
| WAGO PCB Terminal Blocks                                                                                                        |                   |                |     |    |                           |           |           |                    |           |           |                                  |          |          |                              |                           |
| 745 Series                                                                                                                      | 5 / 7.5 / 10      |                |     |    |                           |           |           |                    |           |           |                                  | ■        | ■        | ■                            | ■                         |
| 746 Series                                                                                                                      | 7.5               |                |     |    |                           |           | ●         |                    |           | ●         |                                  | ●        | ●        | ■                            | ■                         |
| 218, 233 ... 236, 250, 254 ... 257, 735 ... 742, 744, 804, 805, 806, 816, 2604, 2606, 2616, 2624, 2626, 2636, 2706, 2716 Series |                   |                |     |    |                           |           |           |                    |           |           |                                  |          |          | ■                            | ■                         |
| WAGO-I/O-SYSTEM                                                                                                                 |                   |                |     |    |                           |           |           |                    |           |           |                                  |          |          |                              |                           |
| 750 Series                                                                                                                      | 12 / 24 / 48      |                |     | △  |                           |           |           |                    |           |           |                                  | ■        | ■        |                              |                           |
| 753 Series                                                                                                                      | 12 / 24 / 48      |                |     | △  |                           |           |           |                    |           |           |                                  | ■        | ■        |                              |                           |
| WAGO Interface Modules                                                                                                          |                   |                |     |    |                           |           |           |                    |           |           |                                  |          |          |                              |                           |
| 788 Series                                                                                                                      | 15                |                |     | □  |                           |           | ■         |                    |           | ■         |                                  |          |          |                              |                           |
| 857 Series                                                                                                                      | 6                 |                |     |    |                           |           | ●         |                    |           | ●         |                                  |          |          |                              |                           |
| 858 Series                                                                                                                      | 31                |                |     | ■  |                           |           | ■         |                    |           | ■         |                                  |          |          |                              |                           |
| 859 Series                                                                                                                      | 6                 |                |     |    |                           |           |           |                    |           |           |                                  | ●        | ●        |                              |                           |
| WAGO Pluggable Connection System WINSTA®                                                                                        |                   |                |     |    |                           |           |           |                    |           |           |                                  |          |          |                              |                           |
| 770/771 Series                                                                                                                  | 10                |                |     |    |                           |           |           |                    |           |           |                                  |          |          | □                            | ■                         |
| 890/891 Series                                                                                                                  | 5                 |                |     |    |                           |           |           |                    |           |           |                                  |          |          |                              | ■                         |
| WAGO MULTI CONNECTION SYSTEM (MCS)                                                                                              |                   |                |     |    |                           |           |           |                    |           |           |                                  |          |          |                              |                           |
| 231, 232, 713, 714, 721, 722, 733, 734, 832, 2231, 2721 Series                                                                  |                   |                |     |    |                           |           |           |                    |           |           |                                  |          |          | □                            | ■                         |
| WAGO Pluggable Connection System picoMAX®                                                                                       |                   |                |     |    |                           |           |           |                    |           |           |                                  |          |          |                              |                           |
| 2091, 2092 Series                                                                                                               |                   |                |     |    |                           |           |           |                    |           |           |                                  |          |          |                              | ■                         |



# WAGO Thermal Transfer Smart Printer

WAGO Thermal Transfer Smart Printer

|                                                                                    |                                                | Page |
|------------------------------------------------------------------------------------|------------------------------------------------|------|
|   | Smart Printer                                  | 11   |
|   | Cutter for Smart Printer                       | 12   |
|   | Thermal Transfer Ink Ribbons for Smart Printer | 13   |
|   | Carrying Case for Smart Printer                | 13   |
|  | Rollers for Smart Printer                      | 14   |



# Marking with Smart Printer



## Terminal Block Marking

- Multi-line marking strips for clear, detailed control cabinet labels
- WMB Inline markers on a reel are suitable for various terminal block sizes
- Same profile across all TOPJOB® S Rail-Mount Terminal Blocks ensures quick labeling




## Cable and Conductor Marking

- Different versions available: marking sleeves, self-laminating labels, conductor markers for thread-on mounting or shrink tubes
- Large variety of marking surface sizes



## Device Marking

- Broad selection of labels, type plates, fabric labels and type plates optimizes marking for devices and control cabinets
- Marking materials are available in a variety of colors and sizes



**Your Benefits:**

- Universal application for all control cabinet marking tasks
- Economical marking thanks to low purchase costs and fast printing
- User-friendly WAGO Marking Software Smart Script
- Long-lasting, indelible, scratch-proof printing
- Easy installation under: [www.wago.de/smartprinter](http://www.wago.de/smartprinter)

# Thermal Transfer Printer Smart Printer Installation

1



Printer – open



Accessories for unwinding material



Open the printer.



Insert the ink ribbon.



Prepare the marking material.



Printing 2009-110 Marking Strips on TOPJOB® S Rail-Mount Terminal Blocks with Smart Printer



Insert and secure the appropriate roller into the printer.

Printer has several interfaces:  
USB, ETHERNET, serial COM portFast, cost-effective and easy to use –  
printing WMB Inline markers via Smart Printer

# Thermal Transfer Printer

## Smart Printer



Smart Printer; for WMB Inline markers, marking strips, conductor markers and labels; Resolution: 300 dpi

|  | Item No. | Pack. Unit |
|--|----------|------------|
|  | 258-5000 | 1          |

- Smart Printer includes:
- Power supply and cable
  - USB cable
  - 1 x marking strip reel (2009-110)
  - 1 x WMB Inline marker reel (2009-115)
  - 2 x roller (258-5006 + -5007)
  - 1 x reel holder
  - 1 x ink ribbon (258-5005)

| Technical Data                |                                                                                                             |
|-------------------------------|-------------------------------------------------------------------------------------------------------------|
| Printing method               | Thermal transfer                                                                                            |
| Print head                    | Glass layer; spring-mounted                                                                                 |
| Print speed, max.             | 127 mm/s (recommended 50.8 mm/s)                                                                            |
| Print width (max.)            | 46 mm                                                                                                       |
| Print length (max.)           | 762 mm                                                                                                      |
| Print resolution              | 300 dpi (12 pixels/mm)                                                                                      |
| See-through/reflective sensor | Yes; centrally mounted                                                                                      |
| Operating display             | Color TFT LCD with navigation button                                                                        |
| Memory                        | 8 MB flash; 16 MB SDRAM                                                                                     |
| Interfaces                    | USB; RS-232; ETHERNET 10/100 Mbps; USB host                                                                 |
| Operating voltage             | 100 ... 240 VAC, 50 ... 60 Hz (automatic adjustment)                                                        |
| Dimensions (mm) W x H x D     | 135 x 175 x 245                                                                                             |
| Weight                        | 2000 g (without printing material)                                                                          |
| Operating temperature         | 5 ... 40 °C (41 ... 104 °F)                                                                                 |
| Storage temperature           | -20 ... 50 °C (-4 ... 122 °F)                                                                               |
| Safety approvals              | CE (EMC)                                                                                                    |
| Ink ribbon                    | External reel diameter: 40 mm;<br>Internal core diameter: 12.7 mm;<br>Max. length: 110 m; Max. width: 58 mm |

## Cutter for Smart Printer



Cutter for Smart Printer; for marking strips only; not suitable for WMB Inline markers

| Item No. | Pack. Unit |
|----------|------------|
| 258-5030 | 1          |

### Hardware Requirements:

- Printer model: Smart Printer
- From manufacturing month/year: 0814 – August 2014
- Firmware version: 1.UW7i or higher
- Printer driver: Version 7.4.2

### Software Requirements:

- Smart Script: Version 3.88.9.0 or higher
- WAGO printer settings: Version 2.4.0.0 or higher

### Approved Print Material to Be Cut:

- Marking strips: 2009-110, 709-177, 709-178, 757-901/000-005
- Self-adhesive marking strips: 210-702, 210-870 ... -877, 210-880, 210-882
- Cable tie markers: 211-835 ... -836, 211-836/000-002
- Self-laminating labels: 211-855 ... -857
- Conductor markers for thread-on mounting: 211-861 ... -863
- Type labels: 210-801 ... -804, 210-812
- Continuous labels: 210-831 ... -834
- Circuit marking labels: 210-813, 210-814

### Dimensions of Printing Materials:

- Max. width: 46 mm
- Max. thickness: 250 µm

### Technical Data

|        |        |
|--------|--------|
| Width  | 60 mm  |
| Height | 107 mm |
| Depth  | 131 mm |
| Weight | 1050 g |



# Thermal Transfer Ink Ribbon for Smart Printer; Carrying Case for Smart Printer



| Thermal transfer ink ribbon for Smart Printer; suitable for all marking material from the WAGO product line, 50 mm wide; 74 m long |          |            |
|------------------------------------------------------------------------------------------------------------------------------------|----------|------------|
| Color                                                                                                                              | Item No. | Pack. Unit |
| ● black                                                                                                                            | 258-5005 | 1          |



| Thermal transfer ink ribbon for Smart Printer; suitable for all marking material from the WAGO product line, 50 mm wide; 74 m long |                  |            |
|------------------------------------------------------------------------------------------------------------------------------------|------------------|------------|
| Color                                                                                                                              | Item No.         | Pack. Unit |
| ● red                                                                                                                              | 258-5005/000-005 | 1          |



| Thermal transfer ink ribbon for Smart Printer; can only be used for 211-855/-856/-857; 50 mm wide; 74 m long |          |            |
|--------------------------------------------------------------------------------------------------------------|----------|------------|
| Color                                                                                                        | Item No. | Pack. Unit |
| ● black                                                                                                      | 258-5014 | 1          |



| Presentation and carrying case for Smart Printer; with foam padding for printer; Dimensions (W x H x D): 50 x 26 x 23 cm |          |            |
|--------------------------------------------------------------------------------------------------------------------------|----------|------------|
| Color                                                                                                                    | Item No. | Pack. Unit |
| ○ gray                                                                                                                   | 258-5015 | 1          |

Roller for Smart Printer

1



| Roller for marking strips, labels and conductor markers |          |            |
|---------------------------------------------------------|----------|------------|
| Color                                                   | Item No. | Pack. Unit |
| ● black                                                 | 258-5006 | 1          |



| Roller; for WMB Inline |          |            |
|------------------------|----------|------------|
| Color                  | Item No. | Pack. Unit |
| ● green                | 258-5007 | 1          |



| Roller; for Mini-WSB Inline |          |            |
|-----------------------------|----------|------------|
| Color                       | Item No. | Pack. Unit |
| ● blue                      | 258-5008 | 1          |



| Roller; for WMB Inline; for Phoenix Contact rail-mount terminal blocks |          |            |
|------------------------------------------------------------------------|----------|------------|
| Color                                                                  | Item No. | Pack. Unit |
| ○ white                                                                | 258-5009 | 1          |




| Roller; for WMB Inline; for Weidmüller rail-mount terminal blocks |          |            |
|-------------------------------------------------------------------|----------|------------|
| Color                                                             | Item No. | Pack. Unit |
| ● red                                                             | 258-5010 | 1          |

## Overview of Marking Accessories and Rollers for Smart Printer

| Marking Accessories for Smart Printer                                               |                                                                                                                                                                           |                     |               |                  | Rollers for Smart Printer |          |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|---------------|------------------|---------------------------|----------|
|                                                                                     | Description                                                                                                                                                               | for Series          | Color         | Item No.         | Color                     | Item No. |
|    | Marking strips; cable and conductor markers; device labels                                                                                                                |                     | –             | –                | ● black                   | 258-5006 |
|    | WMB Inline; plain; 3.5 mm stretchable                                                                                                                                     | 2000, 2020          | ○ white       | 2009-113         | ● green                   | 258-5007 |
|                                                                                     |                                                                                                                                                                           |                     | ● yellow      | 2009-113/000-002 |                           |          |
|                                                                                     |                                                                                                                                                                           |                     | ● red         | 2009-113/000-005 |                           |          |
|                                                                                     |                                                                                                                                                                           |                     | ● blue        | 2009-113/000-006 |                           |          |
|                                                                                     |                                                                                                                                                                           |                     | ○ gray        | 2009-113/000-007 |                           |          |
|                                                                                     |                                                                                                                                                                           |                     | ● orange      | 2009-113/000-012 |                           |          |
|                                                                                     |                                                                                                                                                                           |                     | ● light green | 2009-113/000-017 |                           |          |
|                                                                                     |                                                                                                                                                                           |                     | ● green       | 2009-113/000-023 |                           |          |
|    | WMB Inline; plain; 4 ... 4.2 mm stretchable                                                                                                                               | 2001                | ○ white       | 2009-114         | ● green                   | 258-5007 |
|                                                                                     |                                                                                                                                                                           |                     | ● yellow      | 2009-114/000-002 |                           |          |
|                                                                                     |                                                                                                                                                                           |                     | ● red         | 2009-114/000-005 |                           |          |
|                                                                                     |                                                                                                                                                                           |                     | ● blue        | 2009-114/000-006 |                           |          |
|                                                                                     |                                                                                                                                                                           |                     | ○ gray        | 2009-114/000-007 |                           |          |
|                                                                                     |                                                                                                                                                                           |                     | ● orange      | 2009-114/000-012 |                           |          |
|                                                                                     |                                                                                                                                                                           |                     | ● green       | 2009-114/000-023 |                           |          |
|                                                                                     |                                                                                                                                                                           |                     | ● violet      | 2009-114/000-024 |                           |          |
|  | WMB Inline; plain; 5 ... 5.2 mm stretchable                                                                                                                               | 2002 ... 2016, 2022 | ○ white       | 2009-115         | ● green                   | 258-5007 |
|                                                                                     |                                                                                                                                                                           |                     | ● yellow      | 2009-115/000-002 |                           |          |
|                                                                                     |                                                                                                                                                                           |                     | ● red         | 2009-115/000-005 |                           |          |
|                                                                                     |                                                                                                                                                                           |                     | ● blue        | 2009-115/000-006 |                           |          |
|                                                                                     |                                                                                                                                                                           |                     | ○ gray        | 2009-115/000-007 |                           |          |
|                                                                                     |                                                                                                                                                                           |                     | ● orange      | 2009-115/000-012 |                           |          |
|                                                                                     |                                                                                                                                                                           |                     | ● light green | 2009-115/000-017 |                           |          |
|                                                                                     |                                                                                                                                                                           |                     | ● green       | 2009-115/000-023 |                           |          |
|  | Mini-WSB Inline; plain; 5 ... 5.2 mm stretchable                                                                                                                          | 769, 750            | ○ white       | 2009-145         | ● blue                    | 258-5008 |
|                                                                                     |                                                                                                                                                                           |                     | ● yellow      | 2009-145/000-002 |                           |          |
|                                                                                     |                                                                                                                                                                           |                     | ● red         | 2009-145/000-005 |                           |          |
|                                                                                     |                                                                                                                                                                           |                     | ● blue        | 2009-145/000-006 |                           |          |
|                                                                                     |                                                                                                                                                                           |                     | ○ gray        | 2009-145/000-007 |                           |          |
|                                                                                     |                                                                                                                                                                           |                     | ● orange      | 2009-145/000-012 |                           |          |
|                                                                                     |                                                                                                                                                                           |                     | ● green       | 2009-145/000-023 |                           |          |
|                                                                                     |                                                                                                                                                                           |                     | ● violet      | 2009-145/000-024 |                           |          |
|  | WMB Inline; for Phoenix Contact rail-mount terminal blocks; plain; 5.2 mm stretchable; replaces UC-TM5 and ZB5 for Smart Printer serial numbers starting with GWA0xxx0814 |                     | ○ white       | 2009-515         | ○ white                   | 258-5009 |
|  | WMB Inline; for Weidmüller rail-mount terminal blocks; plain; 5.2 mm stretchable; replaces WS 10/5                                                                        |                     | ○ white       | 2009-615         | ● red                     | 258-5010 |

1



# WAGO Smart Data

WAGO Smart Data

|                                                                                   | Page                                                    |
|-----------------------------------------------------------------------------------|---------------------------------------------------------|
|  | <b>WAGO Smart Data – Overview</b><br>18                 |
|  | <b>WAGO Marking Software Smart Script</b><br>22         |
|  | <b>WAGO Configuration Software Smart Designer</b><br>23 |

## WAGO Smart Data Overview

The cornerstone of each switchgear unit is not just the products used themselves, but also individualized electrical planning. To make your planning as smooth as possible from start to finish, WAGO offers you complete data, software tools and interfaces. Based on standards like eCl@ss (basic/advanced) or ETIM, the technical and commercial item data – available as product data for CAE or CAD – is machine-readable and fully compatible with your system. From electrical and mechanical planning to delivery, you save time and money every step of the way.

### CAD


WAGO offers a large number of CAD formats for the configuring your design. Use your usual CAD tool to import your configuration from the WAGO's Smart Designer Configuration Software.

### Documentation

Save time and avoid errors in the configuration of control cabinet documentation – automatically from WAGO's Smart Designer Configuration Software. You will benefit from having all the relevant product and process data necessary for standards-compliant documentation.

### Marking

Marking control cabinets is easy with the WAGO Smart Printer. Depending on how you work, you have the option of printing markings from different systems.



### CAE

Use your preferred CAE tool for electrical planning – WAGO offers interfaces to various CAE tools (e.g., EPLAN, E<sup>3</sup>, WS CAD and Engineering Base).

### Configuration Software


Whether in the plausibility check for the structure of the terminal strips or documentation for the control cabinet: WAGO's Smart Designer Configuration Software supports you in creating individually configured products.

### Delivery

Get completely assembled rails or individual products: WAGO provides the selected components as needed.

## WAGO Smart Data

### Familiar Planning in the CAE Tool



2

Use your familiar CAE tool for designing circuit diagrams. WAGO offers you high-quality CAE product data and CAE macros. Interfaces to a number of CAE tools (e.g., EPLAN, WS CAD, etc.) permit automatic construction of planned terminal strips in the Smart Designer configuration software.

#### Your Benefits:

- Use your preferred CAE tool – WAGO offers interfaces to various systems.
- Instead of entering item numbers, use the bidirectional interface to plan faster with function definitions.
- Pass the circuit diagrams to the Smart Designer Configuration Software, construct terminal strips automatically and save a great deal of time.
- Plausibility checks in the Smart Designer Configuration Software help you avoid errors in your planning. Any missing components, such as an end and intermediate plate, are added automatically.
- Automatic transfer of the printing data from the CAE tool to the thermal transfer Smart Printer minimizes time and errors.
- The simple, clearly arranged selection of marking materials and automatic adjustment of the font size to the corresponding marking field help you avoid errors and reduce costs.



## WAGO Smart Data

### Configuration of Individual Products



2



The Smart Designer Configuration Software allows project planning for WAGO products in 3D. The configurator can be accessed via Web browser with no installation, making it available any time, anywhere in the world.

#### Your Benefits:

- Easy cooperation on a configuration project, even at different development sites
- Save time and avoid errors with location-independent project processing, without different processing statuses, data exchange via email etc.
- Work easily with detailed 3D models in the Smart Designer Configuration Software: Add access straightforwardly and handle projects more easily with realistic products.
- Get your bearings quickly and save time with a selection of pre-defined standard views.
- Item numbers always up-to-date
- Plausibility checks in the Smart Designer Configuration Software help you avoid planning errors.
- Insert user-specific products as placeholders.




#### CAD Configuration

Use your usual CAD tool to import your configuration from the Smart Designer configuration software. This is possible without exception thanks to the availability of various CAD formats (neutral and native 2D/3D CAD formats). Technical and commercial item information is available to you with high-quality data. You determine the product data granularity yourself.


## WAGO Smart Data

### Parts Lists and Assembly Diagrams



2

Export parts lists and assembly diagrams directly from the Smart Designer Configuration Software to configure production documents or support ordering for the purchasing department. Benefit from the automatic import of item numbers for individual components to your ERP system and from complete, standards-compliant PDF documentation (e.g., per FSF standard for track and rail vehicles).



## WAGO Marking Software Smart Script Intuitive Marking Software

Smart Script is the new software for WAGO's compact Thermal Transfer Smart Printer. The self-explanatory and intuitive software is perfectly tailored to all control cabinet marking requirements.

Combining superior usability with a modern design, Smart Script helps the user complete the task quickly and easily with just a few clicks. For example, Smart Script can be used to easily customize type labels, as well as define and print barcodes and graphic elements.

- **Modern Design:**  
Appealing and intuitive workflow
- **All Applications in One Software:**  
Fast and easy to use; printer driver and all settings integrated
- **For Any Control Cabinet Marking Application:**  
Professional marking of terminal blocks, labels, type plates and conductor markers



## WAGO Configuration Software Smart Designer

### Smart Designer in HTML5

Updated to HTML5, WAGO's Smart Designer Configuration Software comes with a new design and additional features.

The new software offers a modern and intuitive user interface for maximum usability. In addition, there is better support for mobile devices, expanding the scope of applications and allowing the software to be used at any time and from anywhere. With this future-ready Web application standard, WAGO offers a tool that perfectly supports the engineering process.

All familiar tried and tested functions of the previous Smart Designer version have been retained. The updated tool allows projects from different CAE planning tools to be imported via an interface and a plausibility check to be performed, for example. Based on WAGO's expertise, a check is performed of whether the configured structure is possible and, for rail-mount terminal blocks, the correct jumpers are placed according to the planning. Alternatively, a combination of rail-mount terminal blocks or a custom connector can be created directly in the software, and an offer can be requested with a click.

- Future-ready Web application standard
- Modern, intuitive user interface
- Better support for mobile devices
- All familiar functions retained

2






## WAGO Products for the WAGO Thermal Transfer Smart Printer

WAGO Products for the WAGO Thermal Transfer Smart Printer

|                                                                                     | Page |
|-------------------------------------------------------------------------------------|------|
|    | 28   |
|    | 28   |
|    | 29   |
|    | 32   |
|   | 33   |
|  | 33   |
|  | 33   |
|  | 33   |
|  | 34   |
|  | 36   |

## Printing with the Thermal Transfer Smart Printer



### Direct Printing from a CAE System

With the perfect EPLAN interfaces, both terminal block markings and marking accessories for electrical equipment and conductors can be conveniently generated directly from a CAE system. Direct connection to the Thermal Transfer Smart Printer accelerates the manufacturing process.



### Generate Marking Data from the Configuration Software

Save time and reduce your costs by printing markings directly from WAGO's Smart Designer Configuration Software on the economical Thermal Transfer Smart Printer. Configured terminal strips can be printed with just a few mouse clicks.



### WAGO Marking Software Smart Script

With its intuitive operation, this clearly structured marking software is suitable for all WAGO markers. Eliminate duplicated effort and simply export data from Excel or CAE systems for marking your terminal strips.



## WMB Inline; Mini-WSB Inline; Micro-WSB Inline

For Terminal Block Widths 3.5 mm, 4 ... 4.2 mm and from 5 mm

- Plain
- Markers on a reel
- Printable with Smart Printer (suitable rollers on page 15)



| Use          |                                                                |                                               |
|--------------|----------------------------------------------------------------|-----------------------------------------------|
| Marker Width | Can be snapped onto the following terminal block series:       |                                               |
|              | (connected markers)                                            | (only individual markers)                     |
| 3.5 mm       | 2000, 2001, 2020                                               | -                                             |
| 4 ... 4.2 mm | 279, 280, 780, 2001                                            | 281 ... 285, 727, 781 ... 785, 869, 870, 2022 |
| 5 ... 5.2 mm | 270, 280 ... 285, 780 ... 785, 869, 870, 880, 2002, 2003, 2022 | 285, 727, 745, 746, 834, 857, 2004 ... 2016   |

| WMB Inline; for WAGO rail-mount terminals blocks |                    |                          |                          |            |
|--------------------------------------------------|--------------------|--------------------------|--------------------------|------------|
| Color                                            | 2300 markers/reel  | 2000 markers/reel        | 1500 markers/reel        | Pack. Unit |
|                                                  | 3.5 mm<br>Item No. | 4 ... 4.2 mm<br>Item No. | 5 ... 5.2 mm<br>Item No. |            |
| ○ white                                          | 2009-113           | 2009-114                 | 2009-115                 | 1          |
| ● yellow                                         | 2009-113/000-002   | 2009-114/000-002         | 2009-115/000-002         | 1          |
| ● red                                            | 2009-113/000-005   | 2009-114/000-005         | 2009-115/000-005         | 1          |
| ● blue                                           | 2009-113/000-006   | 2009-114/000-006         | 2009-115/000-006         | 1          |
| ● gray                                           | 2009-113/000-007   | 2009-114/000-007         | 2009-115/000-007         | 1          |
| ● orange                                         | 2009-113/000-012   | 2009-114/000-012         | 2009-115/000-012         | 1          |
| ● light green                                    | 2009-113/000-017   | -                        | 2009-115/000-017         | 1          |
| ● green                                          | 2009-113/000-023   | 2009-114/000-023         | 2009-115/000-023         | 1          |
| ● violet                                         | 2009-113/000-024   | 2009-114/000-024         | 2009-115/000-024         | 1          |

| WMB Inline; for Phoenix Contact rail-mount terminal blocks; replaces UC-TM5 and ZB5 markers |                          |            |
|---------------------------------------------------------------------------------------------|--------------------------|------------|
| Color                                                                                       | 900 markers/reel         | Pack. Unit |
|                                                                                             | 5 ... 5.2 mm<br>Item No. |            |
| ○ white                                                                                     | 2009-515                 | 1          |

| WMB Inline markers; Weidmüller rail-mount terminal blocks; replaces WS 10/5 marker |                          |            |
|------------------------------------------------------------------------------------|--------------------------|------------|
| Color                                                                              | 1200 markers/reel        | Pack. Unit |
|                                                                                    | 5 ... 5.2 mm<br>Item No. |            |
| ○ white                                                                            | 2009-615                 | 1          |

| Mini-WSB Inline; for WAGO rail-mount terminal blocks |                          |            |
|------------------------------------------------------|--------------------------|------------|
| Color                                                | 1700 markers/reel        | Pack. Unit |
|                                                      | 5 ... 5.2 mm<br>Item No. |            |
| ○ white                                              | 2009-145                 | 1          |
| ● yellow                                             | 2009-145/000-002         | 1          |
| ● red                                                | 2009-145/000-005         | 1          |
| ● blue                                               | 2009-145/000-006         | 1          |
| ● gray                                               | 2009-145/000-007         | 1          |
| ● orange                                             | 2009-145/000-012         | 1          |
| ● green                                              | 2009-145/000-023         | 1          |
| ● violet                                             | 2009-145/000-024         | 1          |

| Micro-WSB Inline; for 2857 Series Modular Empty Housings |                   |            |
|----------------------------------------------------------|-------------------|------------|
| Color                                                    | 2000 markers/reel | Pack. Unit |
|                                                          | 4 mm<br>Item No.  |            |
| ○ white                                                  | 2009-141          | 1          |

# Marking Strip




| Marking strips; plain; 11 mm wide; 50 m/reel; for WAGO TOPJOB® S and 285 Series Rail-Mount Terminal Blocks |          |            |
|------------------------------------------------------------------------------------------------------------|----------|------------|
| Color                                                                                                      | Item No. | Pack. Unit |
| <input type="radio"/> white                                                                                | 2009-110 | 1          |



| Marking strip; plain; 7.5 mm wide; 50 m/reel; for Series 270, 862, 869, 870 |          |            |
|-----------------------------------------------------------------------------|----------|------------|
| Color                                                                       | Item No. | Pack. Unit |
| <input type="radio"/> translucent                                           | 709-177  | 1          |
| <input type="radio"/> white                                                 | 709-178  | 1          |



| Marking strip; self-adhesive; plain; 10 mm wide; 20 m/reel |          |            |
|------------------------------------------------------------|----------|------------|
| Color                                                      | Item No. | Pack. Unit |
| <input type="radio"/> white                                | 210-870  | 1          |
| <input type="radio"/> silver                               | 210-871  | 1          |



| Marking strip; plain; 10 mm wide; 50 m/reel; for 757 Series |                 |            |
|-------------------------------------------------------------|-----------------|------------|
| Color                                                       | Item No.        | Pack. Unit |
| <input type="radio"/> white                                 | 757-901/000-050 | 1          |

| Marking strip; self-adhesive; plain; 12.7 mm wide; 20 m/reel; for Siemens ET200 |                 |            |
|---------------------------------------------------------------------------------|-----------------|------------|
| Color                                                                           | Item No.        | Pack. Unit |
| <input type="radio"/> white                                                     | 210-880         | 1          |
| <input checked="" type="radio"/> yellow                                         | 210-880/000-002 | 1          |

| Marking strip; self-adhesive; plain; 20 mm wide; 20 m/reel |          |            |
|------------------------------------------------------------|----------|------------|
| Color                                                      | Item No. | Pack. Unit |
| <input type="radio"/> white                                | 210-872  | 1          |
| <input type="radio"/> silver                               | 210-873  | 1          |

| Marking strip; self-adhesive; plain; 22.6 mm wide; 20 m/reel; for Siemens S7 |                 |            |
|------------------------------------------------------------------------------|-----------------|------------|
| Color                                                                        | Item No.        | Pack. Unit |
| <input type="radio"/> white                                                  | 210-882         | 1          |
| <input checked="" type="radio"/> yellow                                      | 210-882/000-002 | 1          |

| Marking strip; self-adhesive; plain; 30 mm wide; 20 m/reel |                 |            |
|------------------------------------------------------------|-----------------|------------|
| Color                                                      | Item No.        | Pack. Unit |
| <input type="radio"/> white                                | 210-874         | 1          |
| <input checked="" type="radio"/> yellow                    | 210-874/000-002 | 1          |
| <input type="radio"/> silver                               | 210-875         | 1          |

| Marking strip; self-adhesive; plain; 46 mm wide; 20 m/reel |                 |            |
|------------------------------------------------------------|-----------------|------------|
| Color                                                      | Item No.        | Pack. Unit |
| <input type="radio"/> white                                | 210-876         | 1          |
| <input checked="" type="radio"/> yellow                    | 210-876/000-002 | 1          |
| <input type="radio"/> silver                               | 210-877         | 1          |

| Marking strip; self-adhesive; plain; 99 mm wide; 20 m/reel; for TP 298+ |          |            |
|-------------------------------------------------------------------------|----------|------------|
| Color                                                                   | Item No. | Pack. Unit |
| <input type="radio"/> white                                             | 210-878  | 1          |
| <input type="radio"/> silver                                            | 210-879  | 1          |

## Cable and Conductor Markers

### Description and Installation



Remove the marker printed with Smart Printer from the roll.



Slide the marker into the marking sleeve receptacle. Exchanging the marker is also possible after the conductor has been terminated.




Compress the sleeve and slide it onto the conductor to be marked.




Suitable markers are supplied on a reel for insertion into Smart Printer.



Cable Tie Markers



Smart Printer, for printing markers and much more.




Smart Script, for marking markers and much more.

## Cable and Conductor Markers

### Description and Installation



Slide the marker through the marker slot up to the end of the sleeve.



Then remove the rest of the card by twisting it off.




Attach the marking sleeve (211-829) to individual cables or conductors via cable ties.

3



Wire markers for thread-on mounting, for wire cross section 0.75 ... 6 mm<sup>2</sup>



Conductor marker for thread-on mounting



Remove the printed label from the sheet or reel.



Wrap the label around the conductor or cable.



The transparent laminate protects the marking.

## Sleeve with Printable Markers



3

Sleeve; 12 mm long; for conductor diameters 1.4 ... 5 mm; halogen-free

| Color         | Item No. | Pack. Unit |
|---------------|----------|------------|
| ○ transparent | 211-812  | 500        |

Sleeve; 12 mm long; for conductor diameters 5 ... 11 mm; halogen-free

| Color         | Item No. | Pack. Unit |
|---------------|----------|------------|
| ○ transparent | 211-813  | 500        |

Sleeve; 23 mm long; for conductor diameters 1.4 ... 5 mm; halogen-free

| Color         | Item No. | Pack. Unit |
|---------------|----------|------------|
| ○ transparent | 211-823  | 500        |

Sleeve; 23 mm long; for conductor diameters 5 ... 11 mm; halogen-free

| Color         | Item No. | Pack. Unit |
|---------------|----------|------------|
| ○ transparent | 211-824  | 200        |

Sleeve; 23 mm long; for conductor diameters 1.5 ... 2.5 mm; contains halogens

| Color         | Item No. | Pack. Unit |
|---------------|----------|------------|
| ○ transparent | 211-922  | 1000       |

Sleeve; 23 mm long; for conductor diameters 2 ... 4 mm; contains halogens

| Color         | Item No. | Pack. Unit |
|---------------|----------|------------|
| ○ transparent | 211-923  | 500        |

Sleeve; 23 mm long; for conductor diameters 4 ... 7 mm; contains halogens

| Color         | Item No. | Pack. Unit |
|---------------|----------|------------|
| ○ transparent | 211-924  | 500        |

Sleeve; 23 mm long; for conductor diameters 6 ... 10 mm; contains halogens

| Color         | Item No. | Pack. Unit |
|---------------|----------|------------|
| ○ transparent | 211-925  | 200        |

Sleeve; 23 mm long; for conductor diameters 10 ... 14 mm; contains halogens

| Color         | Item No. | Pack. Unit |
|---------------|----------|------------|
| ○ transparent | 211-926  | 200        |

Sleeve; 23 mm long; for conductor diameters 14 ... 22 mm; contains halogens

| Color         | Item No. | Pack. Unit |
|---------------|----------|------------|
| ○ transparent | 211-927  | 100        |

### Item-Specific Accessories

Marker; 12 x 4 mm; 2500 labels/reel

|       |         |   |
|-------|---------|---|
| white | 211-811 | 1 |
|-------|---------|---|



### Item-Specific Accessories

Marker; 23 x 4 mm; 2500 labels/reel

|       |         |   |
|-------|---------|---|
| white | 211-821 | 1 |
|-------|---------|---|



### Item-Specific Accessories

Marker; 23 x 4 mm; 2500 labels/reel

|       |         |   |
|-------|---------|---|
| white | 211-821 | 1 |
|-------|---------|---|



Cable tie; 2.5 x 100 mm

|                     |   |
|---------------------|---|
| 807-090/<br>101-100 | 1 |
|---------------------|---|



Self-Laminating Label; Wire Marker for Thread-On Marking;  
Shrink Tube for Conductor Marking; Cable Tie Marker



|                                                                         |          |            |
|-------------------------------------------------------------------------|----------|------------|
| Self-laminating label; Marking area: 9 x 18 mm;<br>1000 labels per reel |          |            |
| Color                                                                   | Item No. | Pack. Unit |
| ○ white                                                                 | 211-855  | 1          |

|                                                                                                                  |          |            |
|------------------------------------------------------------------------------------------------------------------|----------|------------|
| Conductor marker for thread-on mounting; for conductor<br>cross sections 0.75 ... 1.5 mm²; 1000 markers per reel |          |            |
| Color                                                                                                            | Item No. | Pack. Unit |
| ○ white                                                                                                          | 211-861  | 1          |

|                                                                                                           |                 |            |
|-----------------------------------------------------------------------------------------------------------|-----------------|------------|
| Shrink tube for conductor marking; Ø 2.4 mm;<br>for conductor cross sections 0.25 ... 0.75 mm²; 20 m/reel |                 |            |
| Color                                                                                                     | Item No.        | Pack. Unit |
| ○ white                                                                                                   | 211-500         | 1          |
| ● yellow                                                                                                  | 211-500/000-002 | 1          |

|                                                                          |          |            |
|--------------------------------------------------------------------------|----------|------------|
| Self-laminating label; Marking area: 15 x 22 mm;<br>1000 labels per reel |          |            |
| Color                                                                    | Item No. | Pack. Unit |
| ○ white                                                                  | 211-856  | 1          |

|                                                                                                               |          |            |
|---------------------------------------------------------------------------------------------------------------|----------|------------|
| Conductor marker for thread-on mounting; for conductor<br>cross sections 2.5 ... 6 mm²; 1000 markers per reel |          |            |
| Color                                                                                                         | Item No. | Pack. Unit |
| ○ white                                                                                                       | 211-862  | 1          |

|                                                                                                        |                 |            |
|--------------------------------------------------------------------------------------------------------|-----------------|------------|
| Shrink tube for conductor marking; Ø 3.2 mm;<br>for conductor cross sections 0.75 ... 1 mm²; 20 m/reel |                 |            |
| Color                                                                                                  | Item No.        | Pack. Unit |
| ○ white                                                                                                | 211-501         | 1          |
| ● yellow                                                                                               | 211-501/000-002 | 1          |

|                                                                         |          |            |
|-------------------------------------------------------------------------|----------|------------|
| Self-laminating label; Marking area: 18 x 44 mm;<br>500 labels per reel |          |            |
| Color                                                                   | Item No. | Pack. Unit |
| ○ white                                                                 | 211-857  | 1          |

|                                                                                                              |          |            |
|--------------------------------------------------------------------------------------------------------------|----------|------------|
| Conductor marker for thread-on mounting; for conductor<br>cross sections 6 ... 16 mm²; 1000 markers per reel |          |            |
| Color                                                                                                        | Item No. | Pack. Unit |
| ○ white                                                                                                      | 211-863  | 1          |

|                                                                                                       |                 |            |
|-------------------------------------------------------------------------------------------------------|-----------------|------------|
| Shrink tube for conductor marking; Ø 4.8 mm;<br>for conductor cross sections 1 ... 2.5 mm²; 20 m/reel |                 |            |
| Color                                                                                                 | Item No.        | Pack. Unit |
| ○ white                                                                                               | 211-502         | 1          |
| ● yellow                                                                                              | 211-502/000-002 | 1          |

Note:  
Switch to 258-5014 Ink Ribbon in Smart Printer.



|                                                                                     |          |            |
|-------------------------------------------------------------------------------------|----------|------------|
| Cable tie marker; Dimensions: 25 x 20 mm;<br>Marking area: 25 x 10 mm; 500 per reel |          |            |
| Color                                                                               | Item No. | Pack. Unit |
| ○ white                                                                             | 211-835  | 1          |

|                                                                                                                                                 |                 |            |
|-------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------------|
| Cable tie marker; Inner wrap (marking area on the inner<br>side); Dimensions: 117.5 x 15 mm;<br>Marking area: 100 x 15 mm; 800 markers per reel |                 |            |
| Color                                                                                                                                           | Item No.        | Pack. Unit |
| ○ white                                                                                                                                         | 211-836         | 1          |
| ● yellow                                                                                                                                        | 211-836/000-002 | 1          |

|                           |                 |   |
|---------------------------|-----------------|---|
| Item-Specific Accessories |                 |   |
| Cable tie; 2.5 x 100 mm   |                 |   |
|                           | 807-090/101-100 | 1 |



|                                                                                                     |                 |            |
|-----------------------------------------------------------------------------------------------------|-----------------|------------|
| Shrink tube for conductor marking; Ø 6.4 mm;<br>for conductor cross sections 4 ... 6 mm²; 20 m/reel |                 |            |
| Color                                                                                               | Item No.        | Pack. Unit |
| ○ white                                                                                             | 211-503         | 1          |
| ● yellow                                                                                            | 211-503/000-002 | 1          |

|                                                                                                       |                 |            |
|-------------------------------------------------------------------------------------------------------|-----------------|------------|
| Shrink tube for conductor marking; Ø 9.5 mm;<br>for conductor cross sections 10 ... 16 mm²; 15 m/reel |                 |            |
| Color                                                                                                 | Item No.        | Pack. Unit |
| ○ white                                                                                               | 211-504         | 1          |
| ● yellow                                                                                              | 211-504/000-002 | 1          |

|                                                                                                        |                 |            |
|--------------------------------------------------------------------------------------------------------|-----------------|------------|
| Shrink tube for conductor marking; Ø 12.7 mm;<br>for conductor cross sections 25 ... 35 mm²; 15 m/reel |                 |            |
| Color                                                                                                  | Item No.        | Pack. Unit |
| ○ white                                                                                                | 211-505         | 1          |
| ● yellow                                                                                               | 211-505/000-002 | 1          |

|                                                                                                      |                 |            |
|------------------------------------------------------------------------------------------------------|-----------------|------------|
| Shrink tube for conductor marking; Ø 19 mm;<br>for conductor cross sections 35 ... 50 mm²; 15 m/reel |                 |            |
| Color                                                                                                | Item No.        | Pack. Unit |
| ○ white                                                                                              | 211-506         | 1          |
| ● yellow                                                                                             | 211-506/000-002 | 1          |

Note:  
The shrink ratio is 2:1.

WAGO Marking Accessories

33

## Label Roll; Continuous Label

3



Label reel; self-adhesive; plain; Dimensions: 15 x 6 mm; 3000 labels/reel

| Color    | Item No.        | Pack. Unit |
|----------|-----------------|------------|
| ○ white  | 210-805         | 1          |
| ● yellow | 211-805/000-002 | 1          |

Label reel; self-adhesive; plain; Dimensions: 15 x 9 mm; 3000 labels/reel

| Color    | Item No.        | Pack. Unit |
|----------|-----------------|------------|
| ○ white  | 210-806         | 1          |
| ● yellow | 211-806/000-002 | 1          |

Label reel; self-adhesive; plain; Dimensions: 20 x 8 mm; 3000 labels/reel

| Color    | Item No.        | Pack. Unit |
|----------|-----------------|------------|
| ○ white  | 210-807         | 1          |
| ● yellow | 211-807/000-002 | 1          |

Label reel; self-adhesive; plain; Dimensions: 9.5 x 25 mm; 1500 labels/reel; 3-row

| Color   | Item No. | Pack. Unit |
|---------|----------|------------|
| ○ white | 210-808  | 1          |

Label reel; self-adhesive; plain; Dimensions: 5 x 35 mm; 1500 labels/reel; 1 line

| Color   | Item No. | Pack. Unit |
|---------|----------|------------|
| ○ white | 210-810  | 1          |



Label reel; fabric; self-adhesive; plain; Dimensions: 20 x 7 mm; 3000 labels/reel

| Color    | Item No.        | Pack. Unit |
|----------|-----------------|------------|
| ○ white  | 210-811         | 1          |
| ● yellow | 211-811/000-002 | 1          |



Continuous label; self-adhesive; plain; 9 lines, 25 m each; 2.3 mm wide

| Color   | Item No. | Pack. Unit |
|---------|----------|------------|
| ○ white | 210-831  | 1          |

Continuous label; self-adhesive; plain; 9 lines, 25 m each; 3 mm wide

| Color   | Item No. | Pack. Unit |
|---------|----------|------------|
| ○ white | 210-832  | 1          |

Continuous label; self-adhesive; plain; 5 lines, 25 m each; 5 mm wide

| Color   | Item No. | Pack. Unit |
|---------|----------|------------|
| ○ white | 210-834  | 1          |

Continuous label; self-adhesive; plain; 5 lines, 25 m each; 6 mm wide

| Color   | Item No. | Pack. Unit |
|---------|----------|------------|
| ○ white | 210-833  | 1          |

Circuit Marking Label; Type Label



Circuit marking label; self-adhesive; plain; divided into two fields; 750 labels/reel; 1 line

| Color   | Item No. | Pack. Unit |
|---------|----------|------------|
| ○ white | 210-813  | 1          |



Circuit marking label; self-adhesive; plain; divided into three fields; 750 labels/reel; 1 line

| Color   | Item No. | Pack. Unit |
|---------|----------|------------|
| ○ white | 210-814  | 1          |



Type label; Dimensions: 70 x 33 mm; 500 labels/reel

| Color    | Item No. | Pack. Unit |
|----------|----------|------------|
| ○ white  | 210-801  | 1          |
| ● silver | 210-802  | 1          |

Type label; Dimensions: 44 x 99 mm; 500 labels/reel

| Color    | Item No. | Pack. Unit |
|----------|----------|------------|
| ○ white  | 210-803  | 1          |
| ● silver | 210-804  | 1          |

Type label; Dimensions: 25 x 50 mm; 500 labels/reel

| Color    | Item No. | Pack. Unit |
|----------|----------|------------|
| ● silver | 210-812  | 1          |

## Push-Button Label

3



Push-button label (for Eaton); Dimensions: 26.5 x 18 mm; 1000 labels/reel

| Color    | Item No. | Pack. Unit |
|----------|----------|------------|
| ○ silver | 210-850  | 1          |

### Item-Specific Accessories

Cover; Dimensions: 26.5 x 18 mm; for mounting the 210-850 Push-Button Label

|             |         |     |
|-------------|---------|-----|
| transparent | 210-851 | 100 |
|-------------|---------|-----|



Push-button label (for Siemens); Dimensions: 27.5 x 17.5 mm; 1000 labels/reel

| Color    | Item No. | Pack. Unit |
|----------|----------|------------|
| ○ silver | 210-856  | 1          |

### Item-Specific Accessories

Cover; Dimensions: 27.5 x 17.5 mm; for mounting the 210-856 Push-Button Label

|             |         |     |
|-------------|---------|-----|
| transparent | 210-857 | 100 |
|-------------|---------|-----|



Push-button label (for Siemens); Dimensions: 22 x 22 mm; 1000 labels/reel

| Color    | Item No. | Pack. Unit |
|----------|----------|------------|
| ○ silver | 210-858  | 1          |

### Item-Specific Accessories

Cover; Dimensions: 22 x 22 mm; for mounting the 210-858 Push-Button Label

|             |         |     |
|-------------|---------|-----|
| transparent | 210-859 | 100 |
|-------------|---------|-----|



Push-button label (for Siemens); Dimensions: 27 x 27 mm; 1000 labels/reel

| Color    | Item No. | Pack. Unit |
|----------|----------|------------|
| ○ silver | 210-860  | 1          |

### Item-Specific Accessories

Cover; Dimensions: 27 x 27 mm; for mounting the 210-860 Push-Button Label

|             |         |     |
|-------------|---------|-----|
| transparent | 210-861 | 100 |
|-------------|---------|-----|



Push-button label (for Siemens); Dimensions: 27.5 x 12.5 mm; 1000 labels/reel

| Color    | Item No. | Pack. Unit |
|----------|----------|------------|
| ○ silver | 210-862  | 1          |

### Item-Specific Accessories

Cover; Dimensions: 27.5 x 12.5 mm; for mounting the 210-862 Push-Button Label

|             |         |     |
|-------------|---------|-----|
| transparent | 210-863 | 100 |
|-------------|---------|-----|



Push-Button Label



Similar to picture

| Push-button label; Dimensions: 27 x 19 mm;<br>350 labels/reel |          |            |
|---------------------------------------------------------------|----------|------------|
| Color                                                         | Item No. | Pack. Unit |
| ○ silver                                                      | 210-852  | 1          |

Item-Specific Accessories

Universal push-button frame; Dimensions: 27 x 19 mm;  
for mounting the 210-852 Push-Button Label

black

210-853

100



Similar to picture

| Push-button label; Dimensions: 27 x 18 mm;<br>350 labels/reel |          |            |
|---------------------------------------------------------------|----------|------------|
| Color                                                         | Item No. | Pack. Unit |
| ○ silver                                                      | 210-855  | 1          |



| Push-button label; Dimensions: 22 x 22 mm;<br>300 labels/reel |          |            |
|---------------------------------------------------------------|----------|------------|
| Color                                                         | Item No. | Pack. Unit |
| ○ silver                                                      | 210-847  | 1          |



Similar to picture

| Push-button label; Dimensions: 27 x 27 mm;<br>250 labels/reel |          |            |
|---------------------------------------------------------------|----------|------------|
| Color                                                         | Item No. | Pack. Unit |
| ○ silver                                                      | 210-848  | 1          |




| Push-button label; Dimensions: 28 x 28 mm;<br>500 labels/reel |          |            |
|---------------------------------------------------------------|----------|------------|
| Color                                                         | Item No. | Pack. Unit |
| ○ silver                                                      | 210-854  | 1          |



# WAGO Printed Materials

# WAGO Printed Materials

|                                                                                   | Page |
|-----------------------------------------------------------------------------------|------|
|  | 42   |
|  | 46   |
|  | 48   |

## WAGO Printed Materials Description and Installation



Separating a strip from the WMB or WMB marker card.



Stretching a WMB marker strip.




Separating an individual marker from the WMB marker strip – for larger terminal blocks.


4




Marking via Mini-WSB Quick Marking System.



WMB markers in Mini-WSB marker slots  
Marking strip, translucent  
Mini-WSB markers






WMB Inline markers  
Snapping a strip into the marker slot.



WMB "decade" marking



Snapping a WMB marking strip into the marker slot.



Snapping a WMB marker strip into the marker slot of the double marker carrier.

4

## WAGO Multi Marking System (WMB)

For Terminal Block Widths 3.5 mm, 4 ... 4.2 mm and from 5 mm



- Consecutive numbers per strip
- 10 strips with 10 markers per card

| Use           |                                                          |                                                                        |
|---------------|----------------------------------------------------------|------------------------------------------------------------------------|
| Marker Width  | Can be snapped onto the following terminal block series: |                                                                        |
|               | (connected markers)                                      | (only individual markers)                                              |
| 3.5 mm        | 2000, 2020                                               | -                                                                      |
| 4 ... 4.2 mm  | 279, 2001                                                | -                                                                      |
| 5 ... 5.2 mm  | 270, 280, 780, 869, 870, 880, 2002, 2003, 2022           | Terminal blocks with spacing > 5 ... 5.2 mm                            |
| 5 ... 17.5 mm | 270, 280, 780, 869, 870, 880                             | 281 to 285, 781 to 785, 2002, 2004, 2005, 2006, 2007, 2010, 2016, 2022 |

### For Single-Deck Terminal Blocks

| Color   | Marking                                      | Horizontal Marking |                       |                       |                 | Vertical Marking |                       |                       |                 | Pack. Unit |
|---------|----------------------------------------------|--------------------|-----------------------|-----------------------|-----------------|------------------|-----------------------|-----------------------|-----------------|------------|
|         |                                              | 5 mm Item No.      | 5 ... 5.2 mm Item No. | 4 ... 4.2 mm Item No. | 3.5 mm Item No. | 5 mm Item No.    | 5 ... 5.2 mm Item No. | 4 ... 4.2 mm Item No. | 3.5 mm Item No. |            |
| ○ white | 1 ... 10 (10 x)                              | 793-502            | 793-5502              | 793-4502              | 793-3502        | 793-602          | 793-5602              | 793-4602              | upon request    | 5          |
| ○ white | 11 ... 20 (10 x)                             | 793-503            | 793-5503              | 793-4503              | 793-3503        | 793-603          | 793-5603              | 793-4603              |                 | 5          |
| ○ white | 21 ... 30 (10 x)                             | 793-504            | 793-5504              | 793-4504              | 793-3504        | 793-604          | 793-5604              | 793-4604              |                 | 5          |
| ○ white | 31 ... 40 (10 x)                             | 793-505            | 793-5505              | 793-4505              | 793-3505        | 793-605          | 793-5605              | 793-4605              |                 | 5          |
| ○ white | 41 ... 50 (10 x)                             | 793-506            | 793-5506              | 793-4506              | 793-3506        | 793-606          | 793-5606              | 793-4606              |                 | 5          |
| ○ white | 51 ... 60 (10 x)                             | 793-569            | 793-5569              | 793-4569              |                 | 794-601          | 794-5601              | 794-4601              |                 | 5          |
| ○ white | 61 ... 70 (10 x)                             | 793-570            | 793-5570              | 793-4570              |                 | 794-602          | 794-5602              | 794-4602              |                 | 5          |
| ○ white | 71 ... 80 (10 x)                             | 793-571            | 793-5571              | 793-4571              |                 | 794-603          | 794-5603              | 794-4603              |                 | 5          |
| ○ white | 81 ... 90 (10 x)                             | 793-572            | 793-5572              | 793-4572              |                 | 794-604          | 794-5604              | 794-4604              |                 | 5          |
| ○ white | 91 ... 100 (10 x)                            | 793-573            | 793-5573              | 793-4573              |                 | 794-605          | 794-5605              | 794-4605              |                 | 5          |
| ○ white | 1 ... 50 (2 x)                               | 793-566            | 793-5566              | 793-4566              | 793-3566        | 793-666          | 793-5666              | 793-4666              |                 | 5          |
| ○ white | 51 ... 100 (2 x)                             | 793-507            | 793-5507              | 793-4507              | 793-3507        | 793-607          | 793-5607              | 793-4607              |                 | 5          |
| ○ white | 101 ... 150 (2 x)                            | 793-508            | 793-5508              | 793-4508              | 793-3508        | 793-608          | 793-5608              | 793-4608              |                 | 5          |
| ○ white | 151 ... 200 (2 x)                            | 793-509            | 793-5509              | 793-4509              | 793-3509        | 793-609          | 793-5609              | 793-4609              |                 | 5          |
| ○ white | 201 ... 300 (1 x)                            | 793-510            | 793-5510              | 793-4510              | 793-3510        | 793-610          | 793-5610              | 793-4610              |                 | 5          |
| ○ white | 301 ... 400 (1 x)                            | 793-511            | 793-5511              | 793-4511              |                 | 793-611          | 793-5611              | 793-4611              |                 | 5          |
| ○ white | 401 ... 500 (1 x)                            | 793-512            | 793-5512              | 793-4512              |                 | 793-612          | 793-5612              | 793-4612              |                 | 5          |
| ○ white | 501 ... 600 (1 x)                            | 793-513            | 793-5513              | 793-4513              |                 | 793-613          | 793-5613              | 793-4613              |                 | 5          |
| ○ white | 601 ... 700 (1 x)                            | 793-514            | 793-5514              | 793-4514              |                 | 793-614          | 793-5614              | 793-4614              |                 | 5          |
| ○ white | 701 ... 800 (1 x)                            | 793-515            | 793-5515              | 793-4515              |                 | 793-615          | 793-5615              | 793-4615              |                 | 5          |
| ○ white | 801 ... 900 (1 x)                            | 793-516            | 793-5516              | 793-4516              |                 | 793-616          | 793-5616              | 793-4616              |                 | 5          |
| ○ white | 901 ... 1000 (1 x)                           | 793-517            | 793-5517              | 793-4517              |                 | 793-617          | 793-5617              | 793-4617              |                 | 5          |
| ○ white | 1 ... 9 (10 x)                               | 793-565            | 793-5565              | 793-4565              | 793-3565        |                  |                       |                       |                 | 5          |
| ○ white | 101, 101, 101, 102, ..., 130, 130, 130 (1 x) |                    |                       |                       |                 | 793-667          | 793-5667              | 793-4667              |                 | 5          |
| ○ white | 131, 131, 131, 132, ..., 160, 160, 160 (1 x) |                    |                       |                       |                 | 793-668          | 793-5668              | 793-4668              |                 | 5          |

### For Double-Deck Terminal Blocks


| Color   | Marking                                                   | Horizontal Marking |                       |                       |                 | Vertical Marking |                       |                       |                 | Pack. Unit |
|---------|-----------------------------------------------------------|--------------------|-----------------------|-----------------------|-----------------|------------------|-----------------------|-----------------------|-----------------|------------|
|         |                                                           | 5 mm Item No.      | 5 ... 5.2 mm Item No. | 4 ... 4.2 mm Item No. | 3.5 mm Item No. | 5 mm Item No.    | 5 ... 5.2 mm Item No. | 4 ... 4.2 mm Item No. | 3.5 mm Item No. |            |
| ○ white | 1, 3, 5, ..., 99 and 2, 4, 6, ..., 100 (1 x)              | 793-599            | 793-5599              | 793-4599              | 793-3599        | 793-699          | 793-5699              | 793-4699              |                 | 5          |
| ○ white | 101, 103, 105, ..., 149 and 102, 104, 106, ..., 150 (2 x) |                    |                       |                       |                 | 793-900          | 793-5900              | 793-4900              |                 | 5          |

### For Triple-Deck Terminal Blocks

| Color   | Marking                                                                                                                                  | Horizontal Marking |                       |                       |                 | Vertical Marking |                       |                       |                 | Pack. Unit |
|---------|------------------------------------------------------------------------------------------------------------------------------------------|--------------------|-----------------------|-----------------------|-----------------|------------------|-----------------------|-----------------------|-----------------|------------|
|         |                                                                                                                                          | 5 mm Item No.      | 5 ... 5.2 mm Item No. | 4 ... 4.2 mm Item No. | 3.5 mm Item No. | 5 mm Item No.    | 5 ... 5.2 mm Item No. | 4 ... 4.2 mm Item No. | 3.5 mm Item No. |            |
| ○ white | 1, 4, 7, ..., 88 and 2, 5, 8, ..., 89 and 3, 6, 9, ..., 90 and 91, 94, 97, 92, 95, 98, 93, 96, 99, ; (1 x)                               | 794-557            | 794-5557              |                       |                 | 794-657          | 794-5657              |                       |                 | 5          |
| ○ white | 100, 103, 106, ..., 187 and 101, 104, 107, ..., 188 and 102, 105, 108, ..., 189 and 190, 193, 196, 191, 194, 197, 192, 195, 198, ; (1 x) | 794-558            | 794-5558              |                       |                 | 794-658          | 794-5658              |                       |                 | 5          |

## WAGO Multi Marking System (WMB)

For Terminal Block Widths 3.5 mm, 4 ... 4.2 mm and from 5 mm




- Consecutive letters/symbols each strip
- 10 strips with 10 markers per card

| Use           |                                                          |                                                                        |
|---------------|----------------------------------------------------------|------------------------------------------------------------------------|
| Marker Width  | Can be snapped onto the following terminal block series: |                                                                        |
|               | (connected markers)                                      | (only individual markers)                                              |
| 3.5 mm        | 2000, 2020                                               | -                                                                      |
| 4 ... 4.2 mm  | 279, 2001                                                | -                                                                      |
| 5 ... 5.2 mm  | 270, 280, 780, 869, 870, 880, 2002, 2003, 2022           | Terminal blocks with spacing > 5 ... 5.2 mm                            |
| 5 ... 17.5 mm | 270, 280, 780, 869, 870, 880                             | 281 to 285, 781 to 785, 2002, 2004, 2005, 2006, 2007, 2010, 2016, 2022 |

| Color   | Marking                                                                    | Horizontal Marking |                          |                          |                    | Vertical Marking |                          |                          |                    | Pack. Unit |
|---------|----------------------------------------------------------------------------|--------------------|--------------------------|--------------------------|--------------------|------------------|--------------------------|--------------------------|--------------------|------------|
|         |                                                                            | 5 mm<br>Item No.   | 5 ... 5.2 mm<br>Item No. | 4 ... 4.2 mm<br>Item No. | 3.5 mm<br>Item No. | 5 mm<br>Item No. | 5 ... 5.2 mm<br>Item No. | 4 ... 4.2 mm<br>Item No. | 3.5 mm<br>Item No. |            |
| ○ white | L1 (100 x)                                                                 | 793-574            | 793-5574                 | 793-4574                 | upon request       | 793-674          | 793-5674                 | 793-4674                 | upon request       | 5          |
| ○ white | L2 (100 x)                                                                 | 793-575            | 793-5575                 | 793-4575                 |                    | 793-675          | 793-5675                 | 793-4675                 |                    | 5          |
| ○ white | L3 (100 x)                                                                 | 793-576            | 793-5576                 | 793-4576                 |                    | 793-676          | 793-5676                 | 793-4676                 |                    | 5          |
| ○ white | N (100 x)                                                                  | 793-577            | 793-5577                 | 793-4577                 |                    | 793-677          | 793-5677                 | 793-4677                 |                    | 5          |
| ○ white | GND (100 x)                                                                | 793-578            | 793-5578                 | 793-4578                 |                    | 793-678          | 793-5678                 | 793-4678                 |                    | 5          |
| ○ white | PEN (100 x)                                                                | 793-579            | 793-5579                 | 793-4579                 |                    | 793-679          | 793-5679                 | 793-4679                 |                    | 5          |
| ○ white | Ground (symbol) (100 x)                                                    | 793-580            | 793-5580                 | 793-4580                 |                    | 793-680          | 793-5680                 | 793-4680                 |                    | 5          |
| ○ white | R (100 x)                                                                  | 793-581            | 793-5581                 | 793-4581                 |                    | 793-681          | 793-5681                 | 793-4681                 |                    | 5          |
| ○ white | S (100 x)                                                                  | 793-582            | 793-5582                 | 793-4582                 |                    | 793-682          | 793-5682                 | 793-4682                 |                    | 5          |
| ○ white | T (100 x)                                                                  | 793-583            | 793-5583                 | 793-4583                 |                    | 793-683          | 793-5683                 | 793-4683                 |                    | 5          |
| ○ white | +/- (50 x)                                                                 | 793-552            | 793-5552                 | 793-4552                 |                    | 793-652          | 793-5652                 | 793-4652                 |                    | 5          |
| ○ white | a, b, c, e, u, v, w, x, y, z (10 x)                                        | 793-543            | 793-5543                 | 793-4543                 |                    | 793-643          | 793-5643                 |                          |                    | 5          |
| ○ white | R, S, T, U, V, W, X, Y, Z, Mp (10 x)                                       | 793-544            | 793-5544                 | 793-4544                 | 793-3544           | 793-644          | 793-5644                 | 793-4644                 |                    | 5          |
| ○ white | A, B, P, N, GND, PEN, L1, L2, L3, ground (symbol) (10 x)                   | 793-545            | 793-5545                 | 793-4545                 | 793-3545           | 793-645          | 793-5645                 | 793-4645                 |                    | 5          |
| ○ white | U, V, W, N, GND, U, V, W, N, GND (10 x)                                    | 793-474            | 793-5474                 | 793-4474                 |                    | 794-674          | 794-5674                 | 794-4674                 |                    | 5          |
| ○ white | L1, L2, L3, N, GND, L1, L2, L3, N, GND (10 x)                              | 793-472            | 793-5472                 | 793-4472                 |                    | 794-672          | 794-5672                 | 794-4672                 |                    | 5          |
| ○ white | U1, V1, W1, U1, V1, W1, U1, V1, W1, ... (10 x)                             | 793-487            | 793-5487                 | 793-4487                 |                    | 793-687          | 793-5687                 | 793-4687                 |                    | 5          |
| ○ white | U2, V2, W2, U2, V2, W2, U2, V2, W2, ... (10 x)                             | 793-494            | 793-5494                 | 793-4494                 |                    | 793-694          | 793-5694                 | 793-4694                 |                    | 5          |
| ○ white | U3, V3, W3, U3, V3, W3, U3, V3, W3, ... (10 x)                             | 793-495            | 793-5495                 | 793-4495                 |                    | 793-695          | 793-5695                 | 793-4695                 |                    | 5          |
| ○ white | U4, V4, W4, U4, V4, W4, U4, V4, W4, ... (10 x)                             | 793-496            | 793-5496                 | 793-4496                 |                    | 793-696          | 793-5696                 | 793-4696                 |                    | 5          |
| ○ white | U5, V5, W5, U5, V5, W5, U5, V5, W5, ... (10 x)                             | 793-497            | 793-5497                 |                          |                    | 793-697          | 793-5697                 | 793-4697                 |                    | 5          |
| ○ white | U6, V6, W6, ..., U6, V6, W6, ... to U9, V9, W9, ..., U9, V9, W9, ... (2 x) | 793-498            | 793-5498                 |                          |                    | 793-698          | 793-5698                 |                          |                    | 5          |
| ○ white | R1, S1, T1, U1, V1, W1, X1, Y1, Z1, SL (10 x)                              | 793-546            | 793-5546                 | 793-4546                 |                    | 793-646          | 793-5646                 | 793-4646                 |                    | 5          |
| ○ white | R2, S2, T2, U2, V2, W2, X2, Y2, Z2, SL (10 x)                              | 793-547            | 793-5547                 | 793-4547                 |                    | 793-647          | 793-5647                 |                          |                    | 5          |
| ○ white | R3, S3, T3, U3, V3, W3, X3, Y3, Z3, SL (10 x)                              | 793-548            | 793-5548                 | 793-4548                 |                    | 793-648          | 793-5648                 |                          |                    | 5          |
| ○ white | R4, S4, T4, ..., Y4, Z4, SL and R5, S5, T5, ..., Y5, Z5, SL (5 x)          | 793-549            | 793-5549                 | 793-4549                 |                    | 793-649          |                          |                          |                    | 5          |
| ○ white | R6, S6, T6, ..., Y6, Z6, SL to R10, S10, T10, ..., Y10, Z10, SL (2 x)      | 793-550            | 793-5550                 |                          |                    | 793-650          |                          |                          |                    | 5          |

## WAGO Multi Marking System (WMB)

For Terminal Block Widths 3.5 mm, 4 ... 4.2 mm and from 5 mm



- Same numbers per strip
- 10 strips with 10 markers per card

| Use           |                                                          |                                                                        |
|---------------|----------------------------------------------------------|------------------------------------------------------------------------|
| Marker Width  | Can be snapped onto the following terminal block series: |                                                                        |
|               | (connected markers)                                      | (only individual markers)                                              |
| 3.5 mm        | 2000, 2020                                               | -                                                                      |
| 4 ... 4.2 mm  | 279, 2001                                                | -                                                                      |
| 5 ... 5.2 mm  | 270, 280, 780, 869, 870, 880, 2002, 2003, 2022           | Terminal blocks with spacing > 5 ... 5.2 mm                            |
| 5 ... 17.5 mm | 270, 280, 780, 869, 870, 880                             | 281 to 285, 781 to 785, 2002, 2004, 2005, 2006, 2007, 2010, 2016, 2022 |

| Color   | Marking        | Horizontal Marking |                          |                          |                    | Vertical Marking |                          |                          |                    | Pack. Unit |
|---------|----------------|--------------------|--------------------------|--------------------------|--------------------|------------------|--------------------------|--------------------------|--------------------|------------|
|         |                | 5 mm<br>Item No.   | 5 ... 5.2 mm<br>Item No. | 4 ... 4.2 mm<br>Item No. | 3.5 mm<br>Item No. | 5 mm<br>Item No. | 5 ... 5.2 mm<br>Item No. | 4 ... 4.2 mm<br>Item No. | 3.5 mm<br>Item No. |            |
| ○ white | 1 / 2 (50 x)   | 793-518            | 793-5518                 | 793-4518                 | upon request       | 793-618          | 793-5618                 | 793-4618                 | upon request       | 5          |
| ○ white | 3 / 4 (50 x)   | 793-519            | 793-5519                 | 793-4519                 |                    | 793-619          | 793-5619                 | 793-4619                 |                    | 5          |
| ○ white | 5 / 6 (50 x)   | 793-520            | 793-5520                 | 793-4520                 |                    | 793-620          | 793-5620                 | 793-4620                 |                    | 5          |
| ○ white | 7 / 8 (50 x)   | 793-521            | 793-5521                 | 793-4521                 |                    | 793-621          | 793-5621                 | 793-4621                 |                    | 5          |
| ○ white | 9 / 10 (50 x)  | 793-522            | 793-5522                 | 793-4522                 |                    | 793-622          | 793-5622                 | 793-4622                 |                    | 5          |
| ○ white | 11 / 12 (50 x) | 793-523            | 793-5523                 | 793-4523                 |                    | 793-623          | 793-5623                 | 793-4623                 |                    | 5          |
| ○ white | 13 / 14 (50 x) | 793-524            | 793-5524                 | 793-4524                 |                    | 793-624          | 793-5624                 | 793-4624                 |                    | 5          |
| ○ white | 15 / 16 (50 x) | 793-525            | 793-5525                 | 793-4525                 |                    | 793-625          | 793-5625                 | 793-4625                 |                    | 5          |
| ○ white | 17 / 18 (50 x) | 793-526            | 793-5526                 | 793-4526                 |                    | 793-626          | 793-5626                 | 793-4626                 |                    | 5          |
| ○ white | 19 / 20 (50 x) | 793-527            | 793-5527                 | 793-4527                 |                    | 793-627          | 793-5627                 | 793-4627                 |                    | 5          |
| ○ white | 21 / 22 (50 x) | 793-528            | 793-5528                 | 793-4528                 |                    |                  |                          |                          |                    | 5          |
| ○ white | 23 / 24 (50 x) | 793-529            | 793-5529                 | 793-4529                 |                    |                  |                          |                          |                    | 5          |
| ○ white | 25 / 26 (50 x) | 793-530            | 793-5530                 | 793-4530                 |                    |                  |                          |                          |                    | 5          |
| ○ white | 27 / 28 (50 x) | 793-531            | 793-5531                 | 793-4531                 |                    |                  |                          |                          |                    | 5          |
| ○ white | 29 / 30 (50 x) | 793-532            | 793-5532                 | 793-4532                 |                    |                  |                          |                          |                    | 5          |
| ○ white | 31 / 32 (50 x) | 793-533            | 793-5533                 | 793-4533                 |                    |                  |                          |                          |                    | 5          |
| ○ white | 33 / 34 (50 x) | 793-534            | 793-5534                 | 793-4534                 |                    |                  |                          |                          |                    | 5          |
| ○ white | 35 / 36 (50 x) | 793-535            | 793-5535                 | 793-4535                 |                    |                  |                          |                          |                    | 5          |
| ○ white | 37 / 38 (50 x) | 793-536            | 793-5536                 | 793-4536                 |                    |                  |                          |                          |                    | 5          |
| ○ white | 39 / 40 (50 x) | 793-537            | 793-5537                 | 793-4537                 |                    |                  |                          |                          |                    | 5          |
| ○ white | 41 / 42 (50 x) | 793-538            | 793-5538                 | 793-4538                 |                    |                  |                          |                          |                    | 5          |
| ○ white | 43 / 44 (50 x) | 793-539            | 793-5539                 | 793-4539                 |                    |                  |                          |                          |                    | 5          |
| ○ white | 45 / 46 (50 x) | 793-540            | 793-5540                 | 793-4540                 |                    |                  |                          |                          |                    | 5          |
| ○ white | 47 / 48 (50 x) | 793-541            | 793-5541                 | 793-4541                 |                    |                  |                          |                          |                    | 5          |
| ○ white | 49 / 50 (50 x) | 793-542            | 793-5542                 | 793-4542                 |                    |                  |                          |                          |                    | 5          |

## WAGO Multi Marking System (WMB)

For Terminal Block Widths 3.5 mm, 4 ... 4.2 mm and from 5 mm



- Decade marking, with red printing
- 10 strips with 10 markers per card

| Use           |                                                          |                                                                        |
|---------------|----------------------------------------------------------|------------------------------------------------------------------------|
| Marker Width  | Can be snapped onto the following terminal block series: |                                                                        |
|               | (connected markers)                                      | (only individual markers)                                              |
| 3.5 mm        | 2000, 2020                                               | -                                                                      |
| 4 ... 4.2 mm  | 279, 2001                                                | -                                                                      |
| 5 ... 5.2 mm  | 270, 280, 780, 869, 870, 880, 2002, 2003, 2022           | Terminal blocks with spacing > 5 ... 5.2 mm                            |
| 5 ... 17.5 mm | 270, 280, 780, 869, 870, 880                             | 281 to 285, 781 to 785, 2002, 2004, 2005, 2006, 2007, 2010, 2016, 2022 |

| 2 strips each with same number |                           |                    |                       |                       |                 |                  |                       |                       |                 |            |
|--------------------------------|---------------------------|--------------------|-----------------------|-----------------------|-----------------|------------------|-----------------------|-----------------------|-----------------|------------|
| Color                          | Marking                   | Horizontal Marking |                       |                       |                 | Vertical Marking |                       |                       |                 | Pack. Unit |
|                                |                           | 5 mm Item No.      | 5 ... 5.2 mm Item No. | 4 ... 4.2 mm Item No. | 3.5 mm Item No. | 5 mm Item No.    | 5 ... 5.2 mm Item No. | 4 ... 4.2 mm Item No. | 3.5 mm Item No. |            |
| ○ white                        | 10, 20, ..., 50 (20 x)    | 793-553            | 793-5553              | 793-4553              | upon request    | 793-653          | 793-5653              | 793-4653              | upon request    | 5          |
| ○ white                        | 60, 70, ..., 100 (20 x)   | 793-554            | 793-5554              | 793-4554              |                 | 793-654          | 793-5654              | 793-4654              |                 | 5          |
| ○ white                        | 110, 120, ..., 150 (20 x) | 793-555            | 793-5555              | 793-4555              |                 | 793-655          | 793-5655              | 793-4655              |                 | 5          |
| ○ white                        | 160, 170, ..., 200 (20 x) | 793-556            | 793-5556              | 793-4556              |                 | 793-656          | 793-5656              | 793-4656              |                 | 5          |

| 1 strip each with same number |                            |                    |                       |                       |                   |                  |                       |                       |                 |            |
|-------------------------------|----------------------------|--------------------|-----------------------|-----------------------|-------------------|------------------|-----------------------|-----------------------|-----------------|------------|
| Color                         | Marking                    | Horizontal Marking |                       |                       |                   | Vertical Marking |                       |                       |                 | Pack. Unit |
|                               |                            | 5 mm Item No.      | 5 ... 5.2 mm Item No. | 4 ... 4.2 mm Item No. | 3.5 mm Item No.   | 5 mm Item No.    | 5 ... 5.2 mm Item No. | 4 ... 4.2 mm Item No. | 3.5 mm Item No. |            |
| ○ white                       | 210, 220, ..., 300 (10 x)  | 793-557            | 793-5557              | 793-4557              | upon re-<br>quest | 793-657          | 793-5657              | 793-4657              | upon request    | 5          |
| ○ white                       | 310, 320, ..., 400 (10 x)  | 793-558            | 793-5558              | 793-4558              |                   | 793-658          | 793-5658              | 793-4658              |                 | 5          |
| ○ white                       | 410, 420, ..., 500 (10 x)  | 793-559            | 793-5559              | 793-4559              |                   | 793-659          | 793-5659              | 793-4659              |                 | 5          |
| ○ white                       | 510, 520, ..., 600 (10 x)  | 793-560            | 793-5560              | 793-4560              |                   | 793-660          |                       | 793-4660              |                 | 5          |
| ○ white                       | 610, 620, ..., 700 (10 x)  | 793-561            | 793-5561              | 793-4561              |                   | 793-661          |                       | 793-4661              |                 | 5          |
| ○ white                       | 710, 720, ..., 800 (10 x)  | 793-562            |                       | 793-4562              |                   | 793-662          | 793-5662              | 793-4662              |                 | 5          |
| ○ white                       | 810, 820, ..., 900 (10 x)  | 793-563            |                       | 793-4563              |                   | 793-663          | 793-5663              | 793-4663              |                 | 5          |
| ○ white                       | 910, 920, ..., 1000 (10 x) | 793-564            | 793-5564              | 793-4564              |                   | 793-664          | 793-5664              | 793-4664              |                 | 5          |




- Vertical Marking
- Consecutive numbers/letters/symbols per strip
- 10 strips with 10 markers per card

| Use           |                                                          |                                                                        |
|---------------|----------------------------------------------------------|------------------------------------------------------------------------|
| Marker Width  | Can be snapped onto the following terminal block series: |                                                                        |
|               | (connected markers)                                      | (only individual markers)                                              |
| 3.5 mm        | 2000, 2020                                               | -                                                                      |
| 4 ... 4.2 mm  | 279, 2001                                                | -                                                                      |
| 5 ... 5.2 mm  | 270, 280, 780, 869, 870, 880, 2002, 2003, 2022           | Terminal blocks with spacing > 5 ... 5.2 mm                            |
| 5 ... 17.5 mm | 270, 280, 780, 869, 870, 880                             | 281 to 285, 781 to 785, 2002, 2004, 2005, 2006, 2007, 2010, 2016, 2022 |

| For Subdistribution Boxes (Power Stations) |                                                               |                  |                          |                          |                    |               |
|--------------------------------------------|---------------------------------------------------------------|------------------|--------------------------|--------------------------|--------------------|---------------|
| Color                                      | Marking                                                       | 5 mm<br>Item No. | 5 ... 5.2 mm<br>Item No. | 4 ... 4.2 mm<br>Item No. | 3.5 mm<br>Item No. | Pack.<br>Unit |
| ○ white                                    | 1A, 1B, ..., 1G, 1H to 10A, 10B,<br>..., 10 G, 10H, ... (1 x) | 793-958          | 793-5958                 | 793-4958                 | upon request       | 5             |

| For 281-6xx Fuse Terminal Blocks |                           |                  |                          |                          |                    |               |
|----------------------------------|---------------------------|------------------|--------------------------|--------------------------|--------------------|---------------|
| Color                            | Marking                   | 5 mm<br>Item No. | 5 ... 5.2 mm<br>Item No. | 4 ... 4.2 mm<br>Item No. | 3.5 mm<br>Item No. | Pack.<br>Unit |
| ○ white                          | F1, F2, ..., F10 (10x)    | 794-615          | 794-5615                 | 794-4615                 | upon request       | 5             |
| ○ white                          | F11, F12, ..., F20 (10 x) | 794-616          | 794-5616                 | 794-4616                 |                    | 5             |
| ○ white                          | F21, F22, ..., F30 (10 x) | 794-617          | 794-5617                 | 794-4617                 |                    | 5             |
| ○ white                          | F31, F32, ..., F40 (10 x) | 794-618          | 794-5618                 | 794-4618                 |                    | 5             |
| ○ white                          | F41, F42, ..., F50 (10 x) | 794-619          | 794-5619                 | 794-4619                 |                    | 5             |

## WAGO Quick Marking System Mini (Mini-WSB)




- Horizontal Marking
- Consecutive numbers/letters/symbols per strip
- 10 strips with 10 markers per card
- Marker width: 5 mm

| Use                                                                                     |                            |
|-----------------------------------------------------------------------------------------|----------------------------|
| Can be snapped onto the following terminal block series:                                |                            |
| (connected markers)                                                                     | (only individual markers)  |
| 2002                                                                                    | 745, 746, 2007, 2010, 2016 |
| 264, 270, 869, 880                                                                      |                            |
| 769, 870, 2022                                                                          |                            |
| 218, 233 ... 236, 243, 250, 252 ... 257, 735 ... 742, 745, 746, 804, 805, 806, 816, 831 |                            |
| 750, 753                                                                                |                            |

| Color   | Marking                                                 | Item No. | Pack. Unit |
|---------|---------------------------------------------------------|----------|------------|
| ○ white | 1 ... 10 (10 x)                                         | 248-502  | 5          |
| ○ white | 0 ... 9 (10 x)                                          | 247-513  | 5          |
| ○ white | 10 ... 19 (10 x)                                        | 247-514  | 5          |
| ○ white | 11 ... 20 (10 x)                                        | 248-503  | 5          |
| ○ white | 20 ... 29 (10 x)                                        | 247-515  | 5          |
| ○ white | 21 ... 30 (10 x)                                        | 248-504  | 5          |
| ○ white | 30 ... 39 (10 x)                                        | 247-516  | 5          |
| ○ white | 31 ... 40 (10 x)                                        | 248-505  | 5          |
| ○ white | 40 ... 49 (10 x)                                        | 247-517  | 5          |
| ○ white | 41 ... 50 (10 x)                                        | 248-506  | 5          |
| ○ white | 50 ... 59 (10 x)                                        | 247-518  | 5          |
| ○ white | 51 ... 60 (10 x)                                        | 248-569  | 5          |
| ○ white | 60 ... 69 (10 x)                                        | 247-519  | 5          |
| ○ white | 61 ... 70 (10 x)                                        | 248-570  | 5          |
| ○ white | 71 ... 80 (10 x)                                        | 248-571  | 5          |
| ○ white | 81 ... 90 (10 x)                                        | 248-572  | 5          |
| ○ white | 91 ... 100 (10 x)                                       | 248-573  | 5          |
| ○ white | 00 ... 49 (2 x)                                         | 247-523  | 5          |
| ○ white | 1 ... 50 (2 x)                                          | 248-566  | 5          |
| ○ white | 50 ... 99 (2 x)                                         | 247-524  | 5          |
| ○ white | 100 ... 149 (2 x)                                       | 247-525  | 5          |
| ○ white | 150 ... 199 (2 x)                                       | 247-526  | 5          |
| ○ white | 200 ... 249 (2 x)                                       | 247-527  | 5          |
| ○ white | 250 ... 299 (2 x)                                       | 247-528  | 5          |
| ○ white | 300 ... 349 (2 x)                                       | 247-529  | 5          |
| ○ white | 350 ... 399 (2 x)                                       | 247-530  | 5          |
| ○ white | 1, ,2, ,3, ,4, ,5, ; to 46, ,47, ,48, ,49, ,50, ; (1 x) | 264-900  | 5          |
| ○ white | U, V, W, N, GND, U, V, W, N, GND (10 x)                 | 248-474  | 5          |
| ○ white | L1, L2, L3, N, GND, L1, L2, L3, N, GND (10 x)           | 248-472  | 5          |
| ○ white | U, ,V, ,W, ,N, ,GND, ; (10 x)                           | 264-901  | 5          |
| ○ white | L1, ,L2, ,L3, ,N, ,GND, ; (10 x)                        | 264-902  | 5          |
| ○ white | A0, A1, ..., A8, A9 (10 x)                              | 247-510  | 5          |
| ○ white | E0, E1, ..., E8, E9 (10 x)                              | 247-511  | 5          |
| ○ white | X0, X1, ..., X8, X9 (10 x)                              | 247-512  | 5          |
| ○ white | .0 ... 7 / free (10 x / 20 x)                           | 247-543  | 5          |

# WAGO Quick Marking System Mini (Mini-WSB)



- Horizontal marking
- Same characters/letters/symbols for each strip
- 10 strips with 10 markers per card
- Marker width: 5 mm

| Use                                                                                     |                            |
|-----------------------------------------------------------------------------------------|----------------------------|
| Can be snapped onto the following terminal block series:                                |                            |
| (connected markers)                                                                     | (only individual markers)  |
| 2002                                                                                    | 745, 746, 2007, 2010, 2016 |
| 264, 270, 869, 880                                                                      |                            |
| 769, 870, 2022                                                                          |                            |
| 218, 233 ... 236, 243, 250, 252 ... 257, 735 ... 742, 745, 746, 804, 805, 806, 816, 831 |                            |
| 750, 753                                                                                |                            |

| Horizontal Marking |                                       |                 |            |
|--------------------|---------------------------------------|-----------------|------------|
| Color              | Marking                               | Item No.        | Pack. Unit |
| ○ white            | 1, 1, 1, 1, 1, 1, 1, 1, 1, 1 ; (10 x) | 264-903         | 5          |
| ○ white            | 2, 2, 2, 2, 2, 2, 2, 2, 2, 2 ; (10 x) | 264-904         | 5          |
| ○ white            | 3, 3, 3, 3, 3, 3, 3, 3, 3, 3 ; (10 x) | 264-905         | 5          |
| ○ white            | 0 V (100 x)                           | 247-506         | 5          |
| ● blue             | 0 V (100 x)                           | 247-506/000-006 | 5          |
| ○ white            | - (100 x)                             | 247-507         | 5          |
| ● red              | 24 V (100 x)                          | 247-508/000-005 | 5          |
| ○ white            | + (100 x)                             | 247-509         | 5          |
| ○ white            | 3 (100 x)                             | 247-552         | 5          |
| ● light green      | 3 (100 x)                             | 247-552/000-017 | 5          |
| ○ white            | GND (100 x)                           | 248-578         | 5          |
| ● light green      | GND (100 x)                           | 248-578/000-017 | 5          |

## Self-Adhesive Marking Strips on DIN A4 Sheets

For Terminal Strips with Pin Spacings 2.5 mm / 2.54 mm / 3.5 mm / 3.81 mm / 3.96 mm



- Horizontal Marking
- Computer marked
- Strip length: 182 mm

| Use         |                                                                                                                  |
|-------------|------------------------------------------------------------------------------------------------------------------|
| Pin Spacing | Suitable for                                                                                                     |
| 2.5 mm      | MCS MICRO male and female connectors (marking perpendicular to conductor entry) and 218, 233, 234 and 250 Series |
| 2.54 mm     | 218, 233, 234 and 250 Series                                                                                     |
| 3.5 mm      | MCS MINI male and female connectors (marking perpendicular to conductor entry) and 250, 252, 739 and 805 Series  |
| 3.81 mm     | 235, 734, 735, 739 Series                                                                                        |
| 3.96 mm     | 235 Series                                                                                                       |
| 4 mm        | 235 Series                                                                                                       |

For terminal strips with 2.5 mm pin spacing; strip height: 2.3 mm; 100 strips/card

| Color   | Marking           | Item No.        | Pack. Unit |
|---------|-------------------|-----------------|------------|
| ○ white | 1 ... 16 (400 x)  | 210-331/250-202 | 100        |
| ○ white | 17 ... 32 (400 x) | 210-331/250-204 | 100        |
| ○ white | 33 ... 48 (400 x) | 210-331/250-206 | 100        |
| ○ white | 1 ... 48 (100 x)  | 210-331/250-207 | 100        |

For terminal strips with 2.54 mm pin spacing; strip height: 2.3 mm; 100 strips/card

| Color   | Marking           | Item No.        | Pack. Unit |
|---------|-------------------|-----------------|------------|
| ○ white | 1 ... 16 (400 x)  | 210-331/254-202 | 100        |
| ○ white | 17 ... 32 (400 x) | 210-331/254-204 | 100        |
| ○ white | 33 ... 48 (400 x) | 210-331/254-206 | 100        |
| ○ white | 1 ... 48 (100 x)  | 210-331/254-207 | 100        |

For terminal strips with 3.5 mm pin spacing; strip height: 3 mm; 80 strips/card

| Color   | Marking           | Item No.        | Pack. Unit |
|---------|-------------------|-----------------|------------|
| ○ white | 1 ... 16 (240 x)  | 210-332/350-202 | 100        |
| ○ white | 17 ... 32 (240 x) | 210-332/350-204 | 100        |
| ○ white | 33 ... 48 (240 x) | 210-332/350-206 | 100        |

For terminal strips with 3.81 mm pin spacing; strip height: 3 mm; 80 strips/card

| Color   | Marking           | Item No.        | Pack. Unit |
|---------|-------------------|-----------------|------------|
| ○ white | 1 ... 16 (160 x)  | 210-332/381-202 | 100        |
| ○ white | 17 ... 32 (160 x) | 210-332/381-204 | 100        |
| ○ white | 33 ... 48 (160 x) | 210-332/381-206 | 100        |
| ○ white | 1 ... 32 (80 x)   | 210-332/381-205 | 100        |


For terminal strips with 3.96 mm pin spacing; strip height: 3 mm; 80 strips/card

| Color   | Marking           | Item No.        | Pack. Unit |
|---------|-------------------|-----------------|------------|
| ○ white | 1 ... 16 (160 x)  | 210-332/396-202 | 100        |
| ○ white | 17 ... 32 (160 x) | 210-332/396-204 | 100        |
| ○ white | 33 ... 48 (160 x) | 210-332/396-206 | 100        |
| ○ white | 1 ... 32 (80 x)   | 210-332/396-205 | 100        |

For terminal strips with 4 mm pin spacing; strip height: 3 mm; 80 strips/card

| Color   | Marking           | Item No.        | Pack. Unit |
|---------|-------------------|-----------------|------------|
| ○ white | 1 ... 16 (160 x)  | 210-332/400-202 | 100        |
| ○ white | 17 ... 32 (160 x) | 210-332/400-204 | 100        |
| ○ white | 33 ... 48 (160 x) | 210-332/400-206 | 100        |
| ○ white | 1 ... 32 (80 x)   | 210-332/400-205 | 100        |

Self-Adhesive Marking Strips on DIN A4 Sheets  
For Terminal Strips with Pin Spacings 4 mm / 5 mm / 5.08 mm / 5.75 mm



- Horizontal Marking
- Computer marked
- Strip length: 182 mm

| Use         |                                                                                                                                                          |
|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|
| Pin Spacing | Suitable for                                                                                                                                             |
| 5 mm        | MCS MIDI male and female connectors (marking perpendicular to conductor entry) and 235, 236, 250, 253 ... 257, 736 ... 741, 745, 806 and 816 Series      |
| 5.08 mm     | MCS MIDI male and female connectors (marking perpendicular to conductor entry) and 235, 236, 254 ... 257, 736... 739 and 741 Series                      |
| 5.75 mm     | 243 Series                                                                                                                                               |
| 7 mm        | 826 Series                                                                                                                                               |
| 7.5 mm      | MCS MIDI male and female connectors (marking perpendicular to conductor entry) and 235, 236, 239, 250, 254 ... 257, 736 ... 739, 741, 745 and 746 Series |

For MCS MIDI male and female connectors with CAGE CLAMP® connection (parallel to conductor entry) and 804 Series

| For terminal strips with 5 mm pin spacing; strip height: 3 mm; 80 strips/card |                   |                 |            |
|-------------------------------------------------------------------------------|-------------------|-----------------|------------|
| Color                                                                         | Marking           | Item No.        | Pack. Unit |
| ○ white                                                                       | 1 ... 16 (160 x)  | 210-332/500-202 | 100        |
| ○ white                                                                       | 17 ... 32 (160 x) | 210-332/500-204 | 100        |
| ○ white                                                                       | 33 ... 48 (160 x) | 210-332/500-206 | 100        |
| ○ white                                                                       | 1 ... 32 (80 x)   | 210-332/500-205 | 100        |

| For male and female connectors with 5 mm pin spacing and CAGE CLAMP® connection; strip height 2.3 mm; 100 strips/card |                   |                 |            |
|-----------------------------------------------------------------------------------------------------------------------|-------------------|-----------------|------------|
| Color                                                                                                                 | Marking           | Item No.        | Pack. Unit |
| ○ white                                                                                                               | 1 ... 12 (300 x)  | 210-331/500-103 | 100        |
| ○ white                                                                                                               | 13 ... 24 (300 x) | 210-331/500-104 | 100        |

For MCS MIDI male and female connectors with CAGE CLAMP® connection (parallel to conductor entry)

| For terminal strips with 5.08 mm pin spacing; strip height: 3 mm; 80 strips/card |                   |                 |            |
|----------------------------------------------------------------------------------|-------------------|-----------------|------------|
| Color                                                                            | Marking           | Item No.        | Pack. Unit |
| ○ white                                                                          | 1 ... 16 (160 x)  | 210-332/508-202 | 100        |
| ○ white                                                                          | 17 ... 32 (160 x) | 210-332/508-204 | 100        |
| ○ white                                                                          | 33 ... 48 (160 x) | 210-332/508-206 | 100        |
| ○ white                                                                          | 1 ... 32 (80 x)   | 210-332/508-205 | 100        |

| For male and female connectors with 5.08 mm pin spacing and CAGE CLAMP® connection; strip height 2.3 mm; 100 strips/card |                   |                 |            |
|--------------------------------------------------------------------------------------------------------------------------|-------------------|-----------------|------------|
| Color                                                                                                                    | Marking           | Item No.        | Pack. Unit |
| ○ white                                                                                                                  | 1 ... 12 (300 x)  | 210-331/508-103 | 100        |
| ○ white                                                                                                                  | 13 ... 24 (300 x) | 210-331/508-104 | 100        |

| For terminal strips with 7 mm pin spacing; strip height: 3 mm; 80 strips/card |                  |                 |            |
|-------------------------------------------------------------------------------|------------------|-----------------|------------|
| Color                                                                         | Marking          | Item No.        | Pack. Unit |
| ○ white                                                                       | 1 ... 12 (160 x) | 210-332/700-103 | 100        |
| ○ white                                                                       | 12 ... 1 (160 x) | 210-332/700-102 | 100        |

For MCS MIDI male and female connectors with CAGE CLAMP® connection (parallel to conductor entry) and 804 Series

| For terminal strips with 7.5 mm pin spacing; strip height: 3 mm; 80 strips/card |                 |                 |            |
|---------------------------------------------------------------------------------|-----------------|-----------------|------------|
| Color                                                                           | Marking         | Item No.        | Pack. Unit |
| ○ white                                                                         | 1 ... 20 (80 x) | 210-332/750-020 | 100        |

| For male and female connectors with 7.5 mm pin spacing and CAGE CLAMP® connection; strip height 2.3 mm; 100 strips/card |                  |                 |            |
|-------------------------------------------------------------------------------------------------------------------------|------------------|-----------------|------------|
| Color                                                                                                                   | Marking          | Item No.        | Pack. Unit |
| ○ white                                                                                                                 | 1 ... 16 (240 x) | 210-331/750-202 | 100        |

## Self-Adhesive Marking Strips on DIN A4 Sheets

### For Terminal Strips with Pin Spacings 7.62 mm / 10 mm / 10.16 mm



- Horizontal Marking
- Computer marked
- Strip length: 182 mm

| Use         |                                                                                                                                        |
|-------------|----------------------------------------------------------------------------------------------------------------------------------------|
| Pin Spacing | Suitable for                                                                                                                           |
| 7.62 mm     | MCS MIDI male and female connectors (marking perpendicular to conductor entry) and 235, 236, 254 ... 257, 736, 737, 739 and 741 Series |
| 10 mm       | 235, 236, 254 ... 257, 736, 737, 741 and 745 Series                                                                                    |
| 10.16 mm    | 235, 236, 254 ... 257, 736, 737 and 741 Series                                                                                         |

For terminal strips with 7.62 mm pin spacing; strip height: 3 mm; 80 strips/card

| Color   | Marking         | Item No.        | Pack. Unit |
|---------|-----------------|-----------------|------------|
| ○ white | 1 ... 20 (80 x) | 210-332/762-020 | 100        |

For male and female connectors with 7.62 mm pin spacing and CAGE CLAMP® connection; strip height 2.3 mm; 100 strips/card

| Color   | Marking          | Item No.        | Pack. Unit |
|---------|------------------|-----------------|------------|
| ○ white | 1 ... 16 (100 x) | 210-331/762-202 | 100        |

For terminal strips with 7.62 mm pin spacing; strip height: 5 mm; 48 strips/card

| Color   | Marking          | Item No.        | Pack. Unit |
|---------|------------------|-----------------|------------|
| ○ white | 1 ... 16 (100 x) | 210-334/762-202 | 100        |

For terminal strips with 10 mm pin spacing; strip height: 3 mm; 80 strips/card

| Color   | Marking          | Item No.         | Pack. Unit |
|---------|------------------|------------------|------------|
| ○ white | 1 ... 16 (80 x)  | 210-332/1000-202 | 100        |
| ○ white | 17 ... 32 (80 x) | 210-332/1000-204 | 100        |
| ○ white | 33 ... 48 (80 x) | 210-332/1000-206 | 100        |

For terminal strips with 10.16 mm pin spacing; strip height: 3 mm; 80 strips/card

| Color   | Marking          | Item No.         | Pack. Unit |
|---------|------------------|------------------|------------|
| ○ white | 1 ... 16 (80 x)  | 210-332/1016-202 | 100        |
| ○ white | 17 ... 32 (80 x) | 210-332/1016-204 | 100        |
| ○ white | 33 ... 48 (80 x) | 210-332/1016-206 | 100        |

For MCS MIDI male and female connectors with CAGE CLAMP® connection (parallel to conductor entry)

For MCS MAXI male and female connectors

4

# Self-Adhesive Marking Strips on DIN A4 Sheets

## For 260 Series Terminal Strips



- Horizontal Marking
- Computer marked
- Strip length: 182 mm
- Strip height: 6 mm

| For 2-conductor terminal strips (260 Series) |                    |                 |            |
|----------------------------------------------|--------------------|-----------------|------------|
| Color                                        | Marking            | Item No.        | Pack. Unit |
| <input type="radio"/> white                  | 1 ... 10 (120 x)   | 210-333/500-002 | 100        |
| <input type="radio"/> white                  | 11 ... 20 (120 x)  | 210-333/500-003 | 100        |
| <input type="radio"/> white                  | 21 ... 30 (120 x)  | 210-333/500-004 | 100        |
| <input type="radio"/> white                  | 31 ... 40 (120 x)  | 210-333/500-005 | 100        |
| <input type="radio"/> white                  | 41 ... 50 (120 x)  | 210-333/500-006 | 100        |
| <input type="radio"/> white                  | 51 ... 60 (120 x)  | 210-333/500-007 | 100        |
| <input type="radio"/> white                  | 61 ... 70 (120 x)  | 210-333/500-008 | 100        |
| <input type="radio"/> white                  | 71 ... 80 (120 x)  | 210-333/500-009 | 100        |
| <input type="radio"/> white                  | 81 ... 90 (120 x)  | 210-333/500-010 | 100        |
| <input type="radio"/> white                  | 91 ... 100 (120 x) | 210-333/500-011 | 100        |
| <input type="radio"/> white                  | 1 ... 50 (20 x)    | 210-333/500-021 | 100        |
| <input type="radio"/> white                  | L1 (1440 x)        | 210-333/500-074 | 100        |
| <input type="radio"/> white                  | L2 (1440 x)        | 210-333/500-075 | 100        |
| <input type="radio"/> white                  | L3 (1440 x)        | 210-333/500-076 | 100        |
| <input type="radio"/> white                  | N (1440 x)         | 210-333/500-077 | 100        |
| <input type="radio"/> white                  | GND (1440 x)       | 210-333/500-078 | 100        |
| <input type="radio"/> white                  | PEN (1440 x)       | 210-333/500-079 | 100        |
| <input type="radio"/> white                  | only grid spacing  | 210-333/500-001 | 100        |

| For 4-conductor terminal strips (260 Series) |                   |                 |            |
|----------------------------------------------|-------------------|-----------------|------------|
| Color                                        | Marking           | Item No.        | Pack. Unit |
| <input type="radio"/> white                  | 1 ... 10 (80 x)   | 210-333/800-002 | 100        |
| <input type="radio"/> white                  | 11 ... 20 (80 x)  | 210-333/800-003 | 100        |
| <input type="radio"/> white                  | 21 ... 30 (80 x)  | 210-333/800-004 | 100        |
| <input type="radio"/> white                  | 31 ... 40 (80 x)  | 210-333/800-005 | 100        |
| <input type="radio"/> white                  | 41 ... 50 (80 x)  | 210-333/800-006 | 100        |
| <input type="radio"/> white                  | 51 ... 60 (80 x)  | 210-333/800-007 | 100        |
| <input type="radio"/> white                  | 61 ... 70 (80 x)  | 210-333/800-008 | 100        |
| <input type="radio"/> white                  | 71 ... 80 (80 x)  | 210-333/800-009 | 100        |
| <input type="radio"/> white                  | 81 ... 90 (80 x)  | 210-333/800-010 | 100        |
| <input type="radio"/> white                  | 91 ... 100 (80 x) | 210-333/800-011 | 100        |
| <input type="radio"/> white                  | 1 ... 40 (20 x)   | 210-333/800-209 | 100        |
| <input type="radio"/> white                  | L1 (880 x)        | 210-333/800-074 | 100        |
| <input type="radio"/> white                  | L2 (880 x)        | 210-333/800-075 | 100        |
| <input type="radio"/> white                  | L3 (880 x)        | 210-333/800-076 | 100        |
| <input type="radio"/> white                  | N (880 x)         | 210-333/800-077 | 100        |
| <input type="radio"/> white                  | GND (880 x)       | 210-333/800-078 | 100        |
| <input type="radio"/> white                  | PEN (880 x)       | 210-333/800-079 | 100        |
| <input type="radio"/> white                  | only grid spacing | 210-333/800-001 | 100        |

## Self-Adhesive Marking Strips on DIN A4 Sheets For 261 Series Terminal Strips



- Horizontal Marking
- Computer marked
- Strip length: 182 mm
- Strip height: 6 mm

### For 2-conductor terminal strips (261 Series)

| Color   | Marking           | Item No.        | Pack. Unit |
|---------|-------------------|-----------------|------------|
| ○ white | 1 ... 12 (80 x)   | 210-333/600-103 | 100        |
| ○ white | 13 ... 24 (80 x)  | 210-333/600-104 | 100        |
| ○ white | 25 ... 36 (80 x)  | 210-333/600-105 | 100        |
| ○ white | 37 ... 48 (80 x)  | 210-333/600-106 | 100        |
| ○ white | 41 ... 50 (80 x)  | 210-333/600-006 | 100        |
| ○ white | 51 ... 60 (80 x)  | 210-333/600-007 | 100        |
| ○ white | 61 ... 70 (80 x)  | 210-333/600-008 | 100        |
| ○ white | 71 ... 80 (80 x)  | 210-333/600-009 | 100        |
| ○ white | 81 ... 90 (80 x)  | 210-333/600-010 | 100        |
| ○ white | 91 ... 100 (80 x) | 210-333/600-011 | 100        |
| ○ white | 1 ... 50 (20 x)   | 210-333/600-021 | 100        |
| ○ white | L1 (1200 x)       | 210-333/600-074 | 100        |
| ○ white | L2 (1200 x)       | 210-333/600-075 | 100        |
| ○ white | L3 (1200 x)       | 210-333/600-076 | 100        |
| ○ white | N (1200 x)        | 210-333/600-077 | 100        |
| ○ white | GND (1200 x)      | 210-333/600-078 | 100        |
| ○ white | PEN (1200 x)      | 210-333/600-079 | 100        |
| ○ white | only grid spacing | 210-333/600-001 | 100        |

### For 4-conductor terminal strips (261 Series)

| Color   | Marking           | Item No.         | Pack. Unit |
|---------|-------------------|------------------|------------|
| ○ white | 1 ... 16 (40 x)   | 210-333/1000-202 | 100        |
| ○ white | 17 ... 32 (40 x)  | 210-333/1000-204 | 100        |
| ○ white | 33 ... 48 (40 x)  | 210-333/1000-206 | 100        |
| ○ white | 49 ... 64 (40 x)  | 210-333/1000-110 | 100        |
| ○ white | 65 ... 80 (40 x)  | 210-333/1000-111 | 100        |
| ○ white | 81 ... 96 (40 x)  | 210-333/1000-112 | 100        |
| ○ white | 97 ... 112 (40 x) | 210-333/1000-113 | 100        |
| ○ white | 1 ... 36 (20 x)   | 210-333/1000-208 | 100        |
| ○ white | L1 (720 x)        | 210-333/1000-074 | 100        |
| ○ white | L2 (720 x)        | 210-333/1000-075 | 100        |
| ○ white | L3 (720 x)        | 210-333/1000-076 | 100        |
| ○ white | N (720 x)         | 210-333/1000-077 | 100        |
| ○ white | GND (720 x)       | 210-333/1000-078 | 100        |
| ○ white | PEN (720 x)       | 210-333/1000-079 | 100        |
| ○ white | only grid spacing | 210-333/1000-001 | 100        |


Self-Adhesive Marking Strips on DIN A4 Sheets  
For 262 Series Terminal Strips



- Horizontal Marking
- Computer marked
- Strip length: 182 mm
- Strip height: 6 mm

| For 2-conductor terminal strips (262 Series) |                   |                 |            |
|----------------------------------------------|-------------------|-----------------|------------|
| Color                                        | Marking           | Item No.        | Pack. Unit |
| ○ white                                      | 1 ... 20 (40 x)   | 210-333/700-020 | 100        |
| ○ white                                      | 21 ... 40 (40 x)  | 210-333/700-108 | 100        |
| ○ white                                      | 41 ... 60 (40 x)  | 210-333/700-109 | 100        |
| ○ white                                      | 1 ... 50 (20 x)   | 210-333/700-021 | 100        |
| ○ white                                      | L1 (1040 x)       | 210-333/700-074 | 100        |
| ○ white                                      | L2 (1040 x)       | 210-333/700-075 | 100        |
| ○ white                                      | L3 (1040 x)       | 210-333/700-076 | 100        |
| ○ white                                      | N (1040 x)        | 210-333/700-077 | 100        |
| ○ white                                      | GND (1040 x)      | 210-333/700-078 | 100        |
| ○ white                                      | PEN (1040 x)      | 210-333/700-079 | 100        |
| ○ white                                      | only grid spacing | 210-333/700-001 | 100        |

| For 4-conductor terminal strips (262 Series) |                   |                  |            |
|----------------------------------------------|-------------------|------------------|------------|
| Color                                        | Marking           | Item No.         | Pack. Unit |
| ○ white                                      | 1 ... 12 (40 x)   | 210-333/1200-103 | 100        |
| ○ white                                      | 13 ... 24 (40 x)  | 210-333/1200-104 | 100        |
| ○ white                                      | 25 ... 36 (40 x)  | 210-333/1200-105 | 100        |
| ○ white                                      | 37 ... 48 (40 x)  | 210-333/1200-106 | 100        |
| ○ white                                      | 49 ... 60 (40 x)  | 210-333/1200-107 | 100        |
| ○ white                                      | 1 ... 24 (20 x)   | 210-333/1200-203 | 100        |
| ○ white                                      | L1 (600 x)        | 210-333/1200-074 | 100        |
| ○ white                                      | L2 (600 x)        | 210-333/1200-075 | 100        |
| ○ white                                      | L3 (600 x)        | 210-333/1200-076 | 100        |
| ○ white                                      | N (600 x)         | 210-333/1200-077 | 100        |
| ○ white                                      | GND (600 x)       | 210-333/1200-078 | 100        |
| ○ white                                      | PEN (600 x)       | 210-333/1200-079 | 100        |
| ○ white                                      | only grid spacing | 210-333/1200-001 | 100        |




## Plain WAGO Products

Plain WAGO Products

|                                                                                    |                                               | Page |
|------------------------------------------------------------------------------------|-----------------------------------------------|------|
|   | WAGO Multi Marking System (WMB)               | 56   |
|   | WAGO Quick Marking System Mini (Mini-WSB)     | 57   |
|   | Self-Adhesive Marking Strips on DIN A4 Sheets | 58   |
|   | Labels on DIN A4 Sheets                       | 59   |
|  | Sleeves for Printable Markers                 | 60   |

## WAGO Multi Marking System (WMB)

For Terminal Block Widths 3.5 mm, 4 ... 4.2 mm and from 5 mm



- Plain
- 10 strips with 10 markers per card

| Use           |                                                          |                                                                        |
|---------------|----------------------------------------------------------|------------------------------------------------------------------------|
| Marker Width  | Can be snapped onto the following terminal block series: |                                                                        |
|               | (connected markers)                                      | (individual markers)                                                   |
| 3.5 mm        | 2000, 2020                                               | -                                                                      |
| 4 ... 4.2 mm  | 279, 2001                                                | -                                                                      |
| 5 ... 5.2 mm  | 270, 280, 780, 869, 870, 880, 2002, 2003, 2022           | Terminal blocks with spacing > 5 ... 5.2 mm                            |
| 5 ... 17.5 mm | 270, 280, 780, 869, 870, 880                             | 281 to 285, 781 to 785, 2002, 2004, 2005, 2006, 2007, 2010, 2016, 2022 |

| Color         | 5 mm<br>Item No. | 5 ... 5.2 mm<br>Item No. | 4 ... 4.2 mm<br>Item No. | 3.5 mm<br>Item No. | Pack.<br>Unit |
|---------------|------------------|--------------------------|--------------------------|--------------------|---------------|
| ○ white       | 793-501          | 793-5501                 | 793-4501                 | 793-3501           | 5             |
| ● yellow      | 793-501/000-002  | 793-5501/000-002         | 793-4501/000-002         |                    | 5             |
| ● red         | 793-501/000-005  | 793-5501/000-005         | 793-4501/000-005         |                    | 5             |
| ● blue        | 793-501/000-006  | 793-5501/000-006         | 793-4501/000-006         |                    | 5             |
| ● gray        | 793-501/000-007  | 793-5501/000-007         | 793-4501/000-007         |                    | 5             |
| ● orange      | 793-501/000-012  | 793-5501/000-012         | 793-4501/000-012         |                    | 5             |
| ● light green | 793-501/000-017  | 793-5501/000-017         | 793-4501/000-017         |                    | 5             |
| ● green       | 793-501/000-023  | 793-5501/000-023         | 793-4501/000-023         |                    | 5             |
| ● violet      | 793-501/000-024  | 793-5501/000-024         | 793-4501/000-024         |                    | 5             |

WAGO Quick Marking System Mini (Mini-WSB)



- Plain
- 10 strips with 10 markers per card
- Marker width: 5 mm

| Use                                                                                     |                            |
|-----------------------------------------------------------------------------------------|----------------------------|
| Can be snapped onto the following terminal block series:                                |                            |
| (connected markers)                                                                     | (individual markers)       |
| 2002                                                                                    | 745, 746, 2007, 2010, 2016 |
| 264, 270, 869, 880                                                                      |                            |
| 769, 870, 2022                                                                          |                            |
| 218, 233 ... 236, 243, 250, 252 ... 257, 735 ... 742, 745, 746, 804, 805, 806, 816, 831 |                            |
| 750, 753                                                                                |                            |

| Color                                                                                         | Item No.        | Pack. Unit |
|-----------------------------------------------------------------------------------------------|-----------------|------------|
|  white       | 248-501         | 5          |
|  yellow      | 248-501/000-002 | 5          |
|  red         | 248-501/000-005 | 5          |
|  blue        | 248-501/000-006 | 5          |
|  gray        | 248-501/000-007 | 5          |
|  orange      | 248-501/000-012 | 5          |
|  light green | 248-501/000-017 | 5          |
|  green       | 248-501/000-023 | 5          |
|  violet      | 248-501/000-024 | 5          |

## Self-Adhesive Marking Strips on DIN A4 Sheets



- Plain
- Strip length: 182 mm

| Strip height: 2.3 mm; 100 strips/card |          |            |
|---------------------------------------|----------|------------|
| Color                                 | Item No. | Pack. Unit |
| <input type="radio"/> white           | 210-331  | 100        |

| Strip height: 3 mm; 80 strips/card |          |            |
|------------------------------------|----------|------------|
| Color                              | Item No. | Pack. Unit |
| <input type="radio"/> white        | 210-332  | 100        |

| Strip height: 5 mm; 48 strips/card |          |            |
|------------------------------------|----------|------------|
| Color                              | Item No. | Pack. Unit |
| <input type="radio"/> white        | 210-334  | 100        |

| Strip height: 6 mm; 40 strips/card |          |            |
|------------------------------------|----------|------------|
| Color                              | Item No. | Pack. Unit |
| <input type="radio"/> white        | 210-333  | 100        |

| Strip height: 9 mm; 25 strips/card |          |            |
|------------------------------------|----------|------------|
| Color                              | Item No. | Pack. Unit |
| <input type="radio"/> white        | 210-335  | 100        |


- With printed separators
- Strip length: 182 mm
- Available for all pin spacings (xxxx = pin spacing)
- Ordering example: 5.08 mm pin spacing; 3 mm strip height: 210-332/508-001

| Strip height: 2.3 mm; 100 strips/card |                  |            |
|---------------------------------------|------------------|------------|
| Color                                 | Item No.         | Pack. Unit |
| <input type="radio"/> white           | 210-331/xxxx-001 | 100        |

| Strip height: 3 mm; 80 strips/card |                  |            |
|------------------------------------|------------------|------------|
| Color                              | Item No.         | Pack. Unit |
| <input type="radio"/> white        | 210-332/xxxx-001 | 100        |

| Strip height: 5 mm; 48 strips/card |                  |            |
|------------------------------------|------------------|------------|
| Color                              | Item No.         | Pack. Unit |
| <input type="radio"/> white        | 210-334/xxxx-001 | 100        |

Labels on DIN A4 Sheets



- For laser printer

|                                                                                                |          |            |
|------------------------------------------------------------------------------------------------|----------|------------|
| Label surface: (S x W x L) 9 mm x 17 mm x 35 mm; for max. 8 mm cable diameter; 70 labels/sheet |          |            |
| Color                                                                                          | Item No. | Pack. Unit |
| <input type="radio"/> white                                                                    | 211-150  | 20         |

|                                                                                                  |          |            |
|--------------------------------------------------------------------------------------------------|----------|------------|
| Label surface: (S x W x L) 13 mm x 21 mm x 56 mm; for max. 14 mm cable diameter; 32 labels/sheet |          |            |
| Color                                                                                            | Item No. | Pack. Unit |
| <input type="radio"/> white                                                                      | 211-150  | 25         |

## Sleeve for Printable Markers



Sleeve; 12 mm long; for 1.6 ... 3.2 mm or 0.25 ... 1.5 mm conductor diameter

| Color   | Item No. | Pack. Unit |
|---------|----------|------------|
| ● black | 211-112  | 2000       |

Sleeve; 23 mm long; for 1.6 ... 3.2 mm or 0.25 ... 1.5 mm conductor diameter

| Color   | Item No. | Pack. Unit |
|---------|----------|------------|
| ● black | 211-122  | 2000       |

Sleeve; 23 mm long; mounting with cable ties; for individual cables, 10 mm and above

| Color   | Item No. | Pack. Unit |
|---------|----------|------------|
| ● black | 211-129  | 500        |

Sleeve; 12 mm long; for 2.2 ... 4.5 mm or 0.5 ... 4 mm conductor diameter

| Color   | Item No. | Pack. Unit |
|---------|----------|------------|
| ● black | 211-113  | 2000       |

Sleeve; 23 mm long; for 2.2 ... 4.5 mm or 0.5 ... 4 mm conductor diameter

| Color   | Item No. | Pack. Unit |
|---------|----------|------------|
| ● black | 211-123  | 2000       |

Sleeve; 12 mm long; for 3.7 ... 5.9 mm or 2.5 ... 6 mm conductor diameter

| Color   | Item No. | Pack. Unit |
|---------|----------|------------|
| ● black | 211-114  | 1000       |

Sleeve; 23 mm long; for 3.7 ... 5.9 mm or 2.5 ... 6 mm conductor diameter

| Color   | Item No. | Pack. Unit |
|---------|----------|------------|
| ● black | 211-124  | 1000       |

Sleeve; 12 mm long; for 5.5 ... 10 mm or 10 ... 25 mm conductor diameter

| Color   | Item No. | Pack. Unit |
|---------|----------|------------|
| ● black | 211-115  | 1000       |

Sleeve; 23 mm long; for 5.5 ... 10 mm or 10 ... 25 mm conductor diameter

| Color   | Item No. | Pack. Unit |
|---------|----------|------------|
| ● black | 211-125  | 1000       |

Note: To be fitted prior to conductor termination!

Note: To be fitted prior to conductor termination!

Note: Can also be fitted after conductor termination.

### Item-Specific Accessories

Marker; for TP 298 Thermal Transfer Printer; 12 mm long; 3000 markers/reel



white

211-111

1

### Item-Specific Accessories

Marker; for TP 298 Thermal Transfer Printer; 23 mm long; 3000 markers/reel



white

211-121

1

### Item-Specific Accessories

Marker; for TP 298 Thermal Transfer Printer; 23 mm long; 3000 markers/reel



white

211-121

1


Cable tie; 2.5 x 100 mm



807-090/  
101-100

1





## WAGO Marker Carriers for WAGO Marking Accessories

WAGO Marker Carriers for WAGO Marking Accessories


|                                                                                     | Page                                                                        |
|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------|
|    | Group Marker Carriers for WAGO Rail-Mount Terminal Blocks TOPJOB® S 66      |
|    | Marker Carriers for WAGO Rail-Mount Terminal Blocks TOPJOB® S 66            |
|    | Multilevel Marker Carriers for WAGO Rail-Mount Terminal Blocks TOPJOB® S 67 |
|    | Group Marker Carriers 68                                                    |
|   | Group Marker Carriers (Height-Adjustable) 69                                |
|  | Double Marker Carriers 70                                                   |
|  | Group Marker Carriers (Pivoting) 71                                         |
|  | WAGO Continuous Marking Strip 71                                            |
|  | Marker Carriers for 750/753 Series 72                                       |
|  | Marker Carriers for WAGO POWER CAGE CLAMP 35/50/95 mm² (2, 2/0, 4/0 AWG) 73 |

## WAGO Marker Carriers for WAGO Marking Accessories

### Description and Installation



Height-adjustable group marker carrier (2009-163); suitable for WMB markers or marking strips (2009-110)



Can be snapped into jumper slots.



Group Marker Carriers



Group Marker Carriers



Marker carrier for marking strips (2009-110) or 2 WMB markers for 285-13x, 285-15x and 285-19x Terminal Blocks



This laterally movable marking system can be used as an additional group marker carrier or continuous marking strip carrier for terminal strips or single-deck rail-mount terminal blocks, e.g., for:

- DIN-35 rail-mount terminal strips (264 Series)
- Single-deck rail-mount terminal blocks (279 to 284 Series) with a maximum height of 49 mm (1.93 inch) from upper-edge of DIN-rail (observe conductor radius)



Group marker carrier (2009-163) for marking strips (2009-110)




Terminal block marking with double marker carriers (209-128)  
Terminal blocks with side marking  
(see online catalog at [www.wago.com](http://www.wago.com))



Using marker carriers for marking strips (2002-161) in jumper slots.



Using marker carriers for marking strips (2009-198) in lateral marker slots.



Marker carriers for marking strips (2009-110) or WMB-Inline (2009-115)

## Group Marker Carrier and Marker Carrier For WAGO Rail-Mount Terminal Blocks TOPJOB® S



Group marker carrier; snap-on type for jumper slot; gray


| Color  | Width | Item No. | Pack. Unit |
|--------|-------|----------|------------|
| ○ gray | 5 mm  | 2009-191 | 50 (25)    |
| ○ gray | 10 mm | 2009-192 | 50 (25)    |
| ○ gray | 15 mm | 2009-193 | 50 (25)    |

Group marker carrier; snap-on type for jumper slot; gray

| Color  | Width | Item No. | Pack. Unit |
|--------|-------|----------|------------|
| ○ gray | 10 mm | 2009-196 | 50 (25)    |

Marker carrier; for lateral marker slots

| Color  | Width | Item No. | Pack. Unit |
|--------|-------|----------|------------|
| ○ gray | 5 mm  | 2009-198 | 200 (25)   |



Group marker carrier (2009-193), equipped here with WAGO Multi Marking System (WMB), for all 2001 to 2016 Series TOPJOB® S Rail-Mount Terminal Blocks  
Do not use on an end plate!



Marker carrier; for jumper slots of 2002 Series  
Double-Deck, Double-Disconnect Terminal Blocks

| Color  | Width | Item No. | Pack. Unit |
|--------|-------|----------|------------|
| ○ gray | 5 mm  | 2002-160 | 50 (25)    |



Marker carrier; for jumper slots of the 2002 Series

| Color  | Width | Item No. | Pack. Unit |
|--------|-------|----------|------------|
| ○ gray | 5 mm  | 2002-161 | 100 (25)   |



Using marker carriers for marking strips (2002-161) in jumper slots.



Using marker carriers for marking strips (2009-198) in lateral marker slots.

Marker Carrier

For WAGO Rail-Mount Terminal Blocks TOPJOB® S




| Double-deck marker carrier; pivoting |          |            |
|--------------------------------------|----------|------------|
| Color                                | Item No. | Pack. Unit |
| ○ gray                               | 2000-121 | 50 (25)    |



| Double-deck marker carrier; pivoting |          |            |
|--------------------------------------|----------|------------|
| Color                                | Item No. | Pack. Unit |
| ○ gray                               | 2002-121 | 50 (25)    |



| Triple-deck marker carrier; pivoting |          |            |
|--------------------------------------|----------|------------|
| Color                                | Item No. | Pack. Unit |
| ○ gray                               | 2002-131 | 50 (25)    |



**Double-Deck Terminal Blocks**  
A double-deck marker carrier (2000-121) can be retrofitted to double-deck terminal blocks without a marker carrier.

Group Marker Carrier



| Group marker carrier; fits into jumper slot of rail-mount terminal blocks; for terminal block width 4 ... 6 mm; for up to 3 WMB markers or 8 branch markers; 15 mm wide |          |            |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------------|
| Color                                                                                                                                                                   | Item No. | Pack. Unit |
| <input type="radio"/> gray                                                                                                                                              | 209-140  | 50 (25)    |



| Group marker carrier; snaps onto 249-116 and 249-117 Screwless End Stops (center or side mounting); 10 mm wide |          |            |
|----------------------------------------------------------------------------------------------------------------|----------|------------|
| Color                                                                                                          | Item No. | Pack. Unit |
| <input type="radio"/> white                                                                                    | 209-112  | 50 (25)    |



| Group marker carrier; for WMB and Mini-WSB marker slots; 10 mm wide |          |            |
|---------------------------------------------------------------------|----------|------------|
| Color                                                               | Item No. | Pack. Unit |
| <input type="radio"/> white                                         | 209-145  | 100 (25)   |

|                                                                                                                                    |         |         |
|------------------------------------------------------------------------------------------------------------------------------------|---------|---------|
| Group marker carrier; fits into jumper slot of rail-mount terminal blocks; for up to 2 WMB markers or 5 branch markers; 10 mm wide |         |         |
| <input type="radio"/> gray                                                                                                         | 209-141 | 50 (25) |

|                                                                                                                                   |         |         |
|-----------------------------------------------------------------------------------------------------------------------------------|---------|---------|
| Group marker carrier; fits into jumper slot of rail-mount terminal blocks; for up to 1 WMB markers or 2 branch markers; 5 mm wide |         |         |
| <input type="radio"/> gray                                                                                                        | 209-142 | 50 (25) |

6

| Item-Specific Accessories                                    |  |  |  |
|--------------------------------------------------------------|--|--|--|
| Marker; white cardboard; for self-marking; 100 markers/sheet |  |  |  |

|                                                                                     |       |         |   |
|-------------------------------------------------------------------------------------|-------|---------|---|
|  | white | 209-113 | 1 |
|-------------------------------------------------------------------------------------|-------|---------|---|

|                                                              |  |  |  |
|--------------------------------------------------------------|--|--|--|
| Self-adhesive marker; for self-marking; 7 x 25 markers/sheet |  |  |  |
|--------------------------------------------------------------|--|--|--|

|                                                                                     |       |         |   |
|-------------------------------------------------------------------------------------|-------|---------|---|
|  | white | 210-345 | 1 |
|-------------------------------------------------------------------------------------|-------|---------|---|

|                         |  |  |  |
|-------------------------|--|--|--|
| Protective marker cover |  |  |  |
|-------------------------|--|--|--|

|                                                                                     |       |         |    |
|-------------------------------------------------------------------------------------|-------|---------|----|
|  | white | 209-114 | 50 |
|-------------------------------------------------------------------------------------|-------|---------|----|

| Item-Specific Accessories                                    |  |  |  |
|--------------------------------------------------------------|--|--|--|
| Marker; white cardboard; for self-marking; 100 markers/sheet |  |  |  |


|                                                                                       |       |         |   |
|---------------------------------------------------------------------------------------|-------|---------|---|
|  | white | 209-113 | 1 |
|---------------------------------------------------------------------------------------|-------|---------|---|

|                                                              |  |  |  |
|--------------------------------------------------------------|--|--|--|
| Self-adhesive marker; for self-marking; 7 x 25 markers/sheet |  |  |  |
|--------------------------------------------------------------|--|--|--|

|                                                                                       |       |         |   |
|---------------------------------------------------------------------------------------|-------|---------|---|
|  | white | 210-345 | 1 |
|---------------------------------------------------------------------------------------|-------|---------|---|

|                         |  |  |  |
|-------------------------|--|--|--|
| Protective marker cover |  |  |  |
|-------------------------|--|--|--|

|                                                                                       |       |         |    |
|---------------------------------------------------------------------------------------|-------|---------|----|
|  | white | 209-114 | 50 |
|---------------------------------------------------------------------------------------|-------|---------|----|



Group marker carriers (209-141 and 209-112)

Group Marker Carrier (Adjustable in Height) and Laterally Movable Marking System



Height-adjustable group marker carrier; snaps onto end stops (249-116 and 249-117); adjustable in height from 43.5 to 59.5 mm; for 1 marker or self-adhesive marker and transparent protection cover; 10 mm wide

| Color  | Item No. | Pack. Unit |
|--------|----------|------------|
| ○ gray | 249-119  | 50 (25)    |

Height-adjustable group marker carrier; snaps onto end stops (249-116 and 249-117); adjustable in height from 43.5 to 59.5 mm; for 2 WMB markers or 1 continuous strip; 10 mm wide

|        |         |          |
|--------|---------|----------|
| ○ gray | 249-118 | 100 (25) |
|--------|---------|----------|

Height-adjustable group marker carrier; snaps onto end stops (249-116 and 249-117); adjustable in height from 42.2 to 58.2 mm; with marking surface; 6 mm wide

|         |         |         |
|---------|---------|---------|
| ○ white | 249-120 | 50 (25) |
|---------|---------|---------|

Height-adjustable group marker carrier; snaps onto end stops (249-116 and 249-117); adjustable in height from 45 to 61 mm; for 9 WMB markers or 1 TOPJOB® S marking strip; 12.2 mm wide

|        |          |         |
|--------|----------|---------|
| ○ gray | 2009-163 | 50 (25) |
|--------|----------|---------|



Carrier-through element; height-adjustable; snaps onto end stops (249-116 and 249-117)

| Color  | Item No. | Pack. Unit |
|--------|----------|------------|
| ○ gray | 709-118  | 50 (25)    |

Carrier-end element; height-adjustable; snaps onto end stops (249-116 and 249-117)

|        |         |         |
|--------|---------|---------|
| ○ gray | 709-119 | 50 (25) |
|--------|---------|---------|



Receptacles for:  
1 x marker  
2 x WMB marker or  
1 x WAGO Continuous Marking Strip


Item-Specific Accessories

Marking strip receptacle; folded; 1 m long; 16 mm wide; 1.7 mm thick

|             |         |   |
|-------------|---------|---|
| transparent | 709-120 | 1 |
|-------------|---------|---|

Marking card; with 14 marking strips; DIN A4

|  |         |   |
|--|---------|---|
|  | 709-193 | 1 |
|--|---------|---|



Dimensions in mm

# Group Marker Carrier and Double Marker Carrier



| Group marker carrier; angled; e.g., for transformer terminal blocks (282 Series) |          |            |
|----------------------------------------------------------------------------------|----------|------------|
| Color                                                                            | Item No. | Pack. Unit |
| ○ gray                                                                           | 209-144  | 50 (25)    |

| Group marker carrier; straight; e.g., for 2- and 3-conductor terminal blocks (282 Series) |          |            |
|-------------------------------------------------------------------------------------------|----------|------------|
| Color                                                                                     | Item No. | Pack. Unit |
| ○ gray                                                                                    | 209-143  | 50 (25)    |



| Double marker carrier; for center I/O module marking; for WSB and WMB marking systems; 4 mm wide |          |            |
|--------------------------------------------------------------------------------------------------|----------|------------|
| Color                                                                                            | Item No. | Pack. Unit |
| ○ gray                                                                                           | 209-128  | 200 (100)  |

6



This group marker carrier (209-144) makes it possible to mark subgroups in confined places. They can be snapped into unused jumper contact slots of the terminal block housing. Marking is performed with the WAGO Multi Marking System (WMB).



Snapping a WMB marker strip into the marker slot of the double marker carrier.

Group Marker Carrier (Pivoting) and Continuous Marking Strip




| Pivoting group marker carrier |          |            |
|-------------------------------|----------|------------|
| Color                         | Item No. | Pack. Unit |
| ○ gray                        | 249-105  | 50 (25)    |

| Continuous marking strip; 1000 mm long; for self-marking; e.g., with felt-tip pen |          |            |
|-----------------------------------------------------------------------------------|----------|------------|
| Color                                                                             | Item No. | Pack. Unit |
| ○ transparent                                                                     | 210-612  | 10         |

| Item-Specific Accessories                                                               |         |   |
|-----------------------------------------------------------------------------------------|---------|---|
| Marker; 4 x 30 markers/sheet                                                            |         |   |
|  white | 209-183 | 1 |

| Item-Specific Accessories                                                         |         |         |
|-----------------------------------------------------------------------------------|---------|---------|
| Felt-tip pen; for permanent marking                                               |         |         |
|  | 210-110 | 200 (1) |

| Protective marker cover |         |    |
|-------------------------|---------|----|
| transparent             | 209-184 | 50 |



This pivoting group marker carrier has been developed for group marking of rail-mount terminal blocks and incorporates many customer requirements:

- Can be used in all multiprofile marker slots for rail-mount terminal blocks 5 mm (0.197 inch) and above on or in spacer housings as shown above.
- Pivotal to seven different stable positions, providing the best visual angle in case of difficult mounting conditions



WAGO Continuous Marking Strip  
Customized ink pen marking



Carrier for WAGO continuous marking strips, to be affixed approx. every 10th terminal block.

Marker Carrier  
For 750/753 Series



Marker carriers (750-106 and 750-107) allow I/O functions to be identified throughout the node via continuous marking strips. Both carrier models permit continuous marking regardless of the I/O module housing used.

- 750-106 for I/O module housing with max. 4 LEDs and for the 48 mm I/O module housing
- 750-107 for I/O module housing with 8 or 16 LEDs
- The marker carrier can be accommodated in the upper Mini-WSB marker slot. It is not necessary to use a carrier on each I/O module to mount the marking strip.

| Marker carrier (for 750/753 Series); allows group marking of WAGO-I/O-SYSTEM components; hinged |          |            |
|-------------------------------------------------------------------------------------------------|----------|------------|
| Color                                                                                           | Item No. | Pack. Unit |
| ○ transparent                                                                                   | 750-103  | 50         |

| Marker carrier (for 750-753 Series); for I/O housing with up to 4 LEDs and for the 48 mm I/O module housing |          |            |
|-------------------------------------------------------------------------------------------------------------|----------|------------|
| Color                                                                                                       | Item No. | Pack. Unit |
| ○ transparent                                                                                               | 750-106  | 50 (5x10)  |

| Marker carrier (for 750-753 Series); for I/O housing with 8 or 16 LEDs |          |            |
|------------------------------------------------------------------------|----------|------------|
| Color                                                                  | Item No. | Pack. Unit |
| ○ transparent                                                          | 750-107  | 50 (5x10)  |

| Item-Specific Accessories                                                |  |  |
|--------------------------------------------------------------------------|--|--|
| Marker; for group marker carrier; DIN A4 sheet (99 markers), 52 x 8.5 mm |  |  |


|       |         |   |
|-------|---------|---|
| white | 750-105 | 1 |
|-------|---------|---|

| Item-Specific Accessories                   |  |  |
|---------------------------------------------|--|--|
| Marking strip; plain; 11 mm wide; 50 m reel |  |  |


|       |          |   |
|-------|----------|---|
| white | 2009-110 | 1 |
|-------|----------|---|

|                                                                               |  |  |
|-------------------------------------------------------------------------------|--|--|
| WMB Inline; plain; 5 ... 5.2 mm stretchable; 1500 WMB markers (5 mm) per reel |  |  |
|-------------------------------------------------------------------------------|--|--|

|       |          |   |
|-------|----------|---|
| white | 2009-115 | 1 |
|-------|----------|---|



The hinged 750-103 Marker Carrier allows group marking of WAGO-I/O-SYSTEM 750/753 Series components, while featuring a large area for self-marking. The marker carrier can be accommodated in the upper Mini-WSB marker slot.



Marker carriers for marking strips (2009-110) or WMB-Inline (2009-115)

Marker Carrier

For POWER CAGE CLAMP Terminal Blocks 35/50/95 mm<sup>2</sup> (2, 2/0, 4/0 AWG)



|                                                                                 |          |            |
|---------------------------------------------------------------------------------|----------|------------|
| Marker carrier; for POWER CAGE CLAMP 35/50/95 mm <sup>2</sup> (2, 2/0, 4/0 AWG) |          |            |
| Color                                                                           | Item No. | Pack. Unit |
| <input type="radio"/> gray                                                      | 285-442  | 25         |

|                                                                                         |          |   |
|-----------------------------------------------------------------------------------------|----------|---|
| Item-Specific Accessories                                                               |          |   |
| Marking strip; plain; 11 mm wide; 50 m reel                                             |          |   |
|  white | 2009-110 | 1 |



Marker carrier for marking strips (2009-110) or 2 WMB markers for 285-13x, 285-15x and 285-19x Terminal Blocks



# Indexes and Addresses

Indexes and Addresses

|                   | Page |
|-------------------|------|
| Product Index     | 76   |
| Item Number Index | 77   |
| WAGO Worldwide    | 80   |

## Product Index

| Item                                                           | Page | Item | Page |
|----------------------------------------------------------------|------|------|------|
| <b>A</b>                                                       |      |      |      |
| Accessories for Smart Printer                                  |      |      |      |
| - Case                                                         | 60   |      |      |
| - Rollers                                                      | 60   |      |      |
| - Thermal transfer ink ribbons                                 | 60   |      |      |
| <b>C</b>                                                       |      |      |      |
| Cable tie markers                                              | 49   |      |      |
| Conductor markers for thread-on mounting                       | 48   |      |      |
| <b>M</b>                                                       |      |      |      |
| Marker cards, with self-adhesive marking strips                |      |      |      |
| - for all pin spacings, plain                                  | 33   |      |      |
| - for 2.5 ... 10.16 mm pin spacing                             | 30   |      |      |
| Marker carriers                                                |      |      |      |
| - Double marker carriers                                       | 37   |      |      |
| - Group marker carriers, for 282 Series                        | 37   |      |      |
| - Group marker carriers, for jumper contact slot               | 35   |      |      |
| - Group marker carriers, for screwless end stops               | 35   |      |      |
| - Group marker carriers, for TOPJOB® S                         | 35   |      |      |
| - Group marker carriers, for WMB and Mini-WSB markers          | 35   |      |      |
| - Group marker carriers, height-adjustable                     | 34   |      |      |
| - Group marker carriers, pivoting                              | 36   |      |      |
| - Laterally movable marking system                             | 34   |      |      |
| - Marker carriers, for 750/753 Series                          | 38   |      |      |
| - Marker carrier, for POWER CAGE CLAMP terminal blocks         | 40   |      |      |
| - Marker carrier, for WAGO TOPJOB®S rail-mount terminal blocks | 37   |      |      |
| - Multilevel marker carriers                                   | 37   |      |      |
| Marking strips                                                 |      |      |      |
| - for 270, 870, 862, 869 Series                                | 29   |      |      |
| - for 757 Series                                               | 29   |      |      |
| - for device marking, plain                                    | 52   |      |      |
| - for TOPJOB® S Series                                         | 29   |      |      |
| Marking sleeves                                                | 46   |      |      |
| Mini-WSB Inline                                                | 28   |      |      |
| <b>L</b>                                                       |      |      |      |
| Labels                                                         |      |      |      |
| - Continuous labels                                            | 54   |      |      |
| - Equipment identifiers                                        | 53   |      |      |
| - Fabric, self-adhesive                                        | 53   |      |      |
| - Polyester, self-adhesive                                     | 53   |      |      |
| <b>P</b>                                                       |      |      |      |
| Plastic covers, for push-button markers                        | 55   |      |      |
| Printer, see Smart Printer                                     |      |      |      |
| Push-button markers                                            | 55   |      |      |
| <b>S</b>                                                       |      |      |      |
| Screwless end stops, for DIN-35 rails                          | 41   |      |      |
| Selection guide for markers                                    | 10   |      |      |
| Self-laminating labels                                         | 48   |      |      |
| Shrink tubes, for conductor marking                            | 49   |      |      |
| Sleeves for conductor markers                                  | 46   |      |      |
| Smart Printer                                                  | 59   |      |      |
| Software                                                       |      |      |      |
| - Smart Designer                                               | 62   |      |      |
| - Smart Script                                                 | 62   |      |      |
| <b>T</b>                                                       |      |      |      |
| Thermal transfer printer, see Smart Printer                    |      |      |      |
| Type labels                                                    | 54   |      |      |
| <b>W</b>                                                       |      |      |      |
| WAGO Mini Quick Marking System (Mini-WSB)                      | 26   |      |      |
| WAGO Multi Marking System (WMB)                                |      |      |      |
| - Marking with letters/symbols                                 | 20   |      |      |
| - Marking with numbers                                         | 16   |      |      |
| - plain                                                        | 24   |      |      |
| WMB Inline markers                                             | 28   |      |      |

## Item Number Index

| Item No.          | Page | Item No.          | Page | Item No.          | Page | Item No.          | Page |
|-------------------|------|-------------------|------|-------------------|------|-------------------|------|
| <b>209 Series</b> |      | <b>210 Series</b> |      | <b>210 Series</b> |      | <b>21 Series</b>  |      |
| 209-112           | 68   | 210-333/1200-077  | 53   | 210-810           | 34   | 211-861           | 33   |
| 209-113           | 68   | 210-333/1200-078  | 53   | 210-811           | 34   | 211-862           | 33   |
| 209-114           | 68   | 210-333/1200-079  | 53   | 210-812           | 35   | 211-863           | 33   |
| 209-128           | 70   | 210-333/1200-103  | 53   | 210-813           | 35   | 211-922           | 32   |
| 209-140           | 68   | 210-333/1200-104  | 53   | 210-814           | 35   | 211-923           | 32   |
| 209-141           | 68   | 210-333/1200-105  | 53   | 210-831           | 34   | 211-924           | 32   |
| 209-142           | 68   | 210-333/1200-106  | 53   | 210-832           | 34   | 211-925           | 32   |
| 209-143           | 70   | 210-333/1200-107  | 53   | 210-833           | 34   | 211-926           | 32   |
| 209-144           | 70   | 210-333/1200-203  | 53   | 210-834           | 34   | 211-927           | 32   |
| 209-145           | 68   | 210-333/500-001   | 51   | 210-847           | 37   |                   |      |
| 209-183           | 71   | 210-333/500-002   | 51   | 210-848           | 37   |                   |      |
| 209-184           | 71   | 210-333/500-003   | 51   | 210-850           | 36   | <b>247 Series</b> |      |
| 209-185           | 71   | 210-333/500-004   | 51   | 210-851           | 36   | 247-506           | 47   |
|                   |      | 210-333/500-005   | 51   | 210-852           | 37   | 247-506/000-006   | 47   |
|                   |      | 210-333/500-006   | 51   | 210-853           | 37   | 247-507           | 47   |
| <b>210 Series</b> |      | 210-333/500-007   | 51   | 210-854           | 37   | 247-508/000-005   | 47   |
| 210-110           | 71   | 210-333/500-008   | 51   | 210-855           | 37   | 247-509           | 47   |
| 210-331           | 58   | 210-333/500-009   | 51   | 210-856           | 36   | 247-510           | 46   |
| 210-331/250-202   | 48   | 210-333/500-010   | 51   | 210-857           | 36   | 247-511           | 46   |
| 210-331/250-204   | 48   | 210-333/500-011   | 51   | 210-858           | 36   | 247-512           | 46   |
| 210-331/250-206   | 48   | 210-333/500-021   | 51   | 210-859           | 36   | 247-513           | 46   |
| 210-331/250-207   | 48   | 210-333/500-074   | 51   | 210-860           | 36   | 247-514           | 46   |
| 210-331/254-202   | 48   | 210-333/500-075   | 51   | 210-861           | 36   | 247-515           | 46   |
| 210-331/254-204   | 48   | 210-333/500-076   | 51   | 210-862           | 36   | 247-516           | 46   |
| 210-331/254-206   | 48   | 210-333/500-077   | 51   | 210-863           | 36   | 247-517           | 46   |
| 210-331/254-207   | 48   | 210-333/500-078   | 51   | 210-870           | 29   | 247-518           | 46   |
| 210-331/500-103   | 49   | 210-333/500-079   | 51   | 210-871           | 29   | 247-519           | 46   |
| 210-331/500-104   | 49   | 210-333/600-001   | 52   | 210-872           | 29   | 247-523           | 46   |
| 210-331/508-103   | 49   | 210-333/600-006   | 52   | 210-873           | 29   | 247-524           | 46   |
| 210-331/508-104   | 49   | 210-333/600-007   | 52   | 210-874           | 29   | 247-525           | 46   |
| 210-331/750-202   | 49   | 210-333/600-008   | 52   | 210-874/000-002   | 29   | 247-526           | 46   |
| 210-331/762-202   | 50   | 210-333/600-009   | 52   | 210-875           | 29   | 247-527           | 46   |
| 210-332           | 58   | 210-333/600-010   | 52   | 210-876           | 29   | 247-528           | 46   |
| 210-332/1000-202  | 50   | 210-333/600-011   | 52   | 210-876/000-002   | 29   | 247-529           | 46   |
| 210-332/1000-204  | 50   | 210-333/600-021   | 52   | 210-877           | 29   | 247-530           | 46   |
| 210-332/1000-206  | 50   | 210-333/600-074   | 52   | 210-878           | 29   | 247-543           | 46   |
| 210-332/1016-202  | 50   | 210-333/600-075   | 52   | 210-879           | 29   | 247-552           | 47   |
| 210-332/1016-204  | 50   | 210-333/600-076   | 52   | 210-880           | 29   | 247-552/000-017   | 47   |
| 210-332/1016-206  | 50   | 210-333/600-077   | 52   | 210-880/000-002   | 29   |                   |      |
| 210-332/350-202   | 48   | 210-333/600-078   | 52   | 210-882           | 29   | <b>248 Series</b> |      |
| 210-332/350-204   | 48   | 210-333/600-079   | 52   | 210-882/000-002   | 29   | 248-472           | 46   |
| 210-332/350-206   | 48   | 210-333/600-103   | 52   |                   |      | 248-474           | 46   |
| 210-332/381-202   | 48   | 210-333/600-104   | 52   | <b>21 Series</b>  |      | 248-501           | 57   |
| 210-332/381-204   | 48   | 210-333/600-105   | 52   | 211-111           | 60   | 248-501/000-002   | 57   |
| 210-332/381-205   | 48   | 210-333/600-106   | 52   | 211-112           | 60   | 248-501/000-005   | 57   |
| 210-332/381-206   | 48   | 210-333/700-001   | 53   | 211-113           | 60   | 248-501/000-006   | 57   |
| 210-332/396-202   | 48   | 210-333/700-020   | 53   | 211-114           | 60   | 248-501/000-007   | 57   |
| 210-332/396-204   | 48   | 210-333/700-021   | 53   | 211-114           | 60   | 248-501/000-012   | 57   |
| 210-332/396-205   | 48   | 210-333/700-074   | 53   | 211-115           | 60   | 248-501/000-017   | 57   |
| 210-332/396-206   | 48   | 210-333/700-075   | 53   | 211-121           | 60   | 248-501/000-023   | 57   |
| 210-332/400-202   | 48   | 210-333/700-076   | 53   | 211-122           | 60   | 248-501/000-024   | 57   |
| 210-332/400-204   | 48   | 210-333/700-077   | 53   | 211-123           | 60   | 248-502           | 46   |
| 210-332/400-205   | 48   | 210-333/700-078   | 53   | 211-124           | 60   | 248-503           | 46   |
| 210-332/400-206   | 48   | 210-333/700-079   | 53   | 211-125           | 60   | 248-504           | 46   |
| 210-332/500-202   | 49   | 210-333/700-108   | 53   | 211-129           | 60   | 248-505           | 46   |
| 210-332/500-204   | 49   | 210-333/700-109   | 53   | 211-150           | 59   | 248-506           | 46   |
| 210-332/500-205   | 49   | 210-333/800-001   | 51   | 211-500           | 33   | 248-506           | 46   |
| 210-332/500-206   | 49   | 210-333/800-002   | 51   | 211-500/000-002   | 33   | 248-569           | 46   |
| 210-332/508-001   | 58   | 210-333/800-003   | 51   | 211-501           | 33   | 248-570           | 46   |
| 210-332/508-202   | 49   | 210-333/800-004   | 51   | 211-501/000-002   | 33   | 248-571           | 46   |
| 210-332/508-204   | 49   | 210-333/800-005   | 51   | 211-502           | 33   | 248-572           | 46   |
| 210-332/508-205   | 49   | 210-333/800-006   | 51   | 211-502/000-002   | 33   | 248-573           | 46   |
| 210-332/508-206   | 49   | 210-333/800-007   | 51   | 211-503           | 33   | 248-578           | 47   |
| 210-332/700-102   | 49   | 210-333/800-008   | 51   | 211-503/000-002   | 33   | 248-578/000-017   | 47   |
| 210-332/700-103   | 49   | 210-333/800-009   | 51   | 211-504           | 33   |                   |      |
| 210-332/750-020   | 49   | 210-333/800-010   | 51   | 211-504/000-002   | 33   | <b>249 Series</b> |      |
| 210-332/762-020   | 50   | 210-333/800-011   | 51   | 211-505           | 33   | 249-105           | 71   |
| 210-333           | 58   | 210-333/800-074   | 51   | 211-505/000-002   | 33   | 249-118           | 69   |
| 210-333/1000-001  | 52   | 210-333/800-075   | 51   | 211-506           | 33   | 249-119           | 69   |
| 210-333/1000-074  | 52   | 210-333/800-076   | 51   | 211-506/000-002   | 33   | 249-120           | 69   |
| 210-333/1000-075  | 52   | 210-333/800-077   | 51   | 211-805/000-002   | 34   |                   |      |
| 210-333/1000-076  | 52   | 210-333/800-078   | 51   | 211-806/000-002   | 34   | <b>258 Series</b> |      |
| 210-333/1000-077  | 52   | 210-333/800-079   | 51   | 211-807/000-002   | 34   | 258-5000          | 11   |
| 210-333/1000-078  | 52   | 210-333/800-209   | 51   | 211-811           | 32   | 258-5005          | 13   |
| 210-333/1000-079  | 52   | 210-334           | 58   | 211-811/000-002   | 34   | 258-5005/000-005  | 13   |
| 210-333/1000-110  | 52   | 210-334/762-202   | 50   | 211-812           | 32   | 258-5006          | 14   |
| 210-333/1000-111  | 52   | 210-335           | 58   | 211-813           | 32   | 258-5007          | 14   |
| 210-333/1000-112  | 52   | 210-345           | 68   | 211-821           | 32   | 258-5008          | 14   |
| 210-333/1000-113  | 52   | 210-612           | 71   | 211-823           | 32   | 258-5009          | 14   |
| 210-333/1000-202  | 52   | 210-801           | 35   | 211-824           | 32   | 258-5010          | 14   |
| 210-333/1000-204  | 52   | 210-802           | 35   | 211-829           | 32   | 258-5014          | 13   |
| 210-333/1000-206  | 52   | 210-803           | 35   | 211-835           | 33   | 258-5015          | 13   |
| 210-333/1000-208  | 52   | 210-804           | 35   | 211-836           | 33   | 258-5030          | 12   |
| 210-333/1200-001  | 53   | 210-805           | 34   | 211-836/000-002   | 33   |                   |      |
| 210-333/1200-074  | 53   | 210-806           | 34   | 211-855           | 33   | <b>264 Series</b> |      |
| 210-333/1200-075  | 53   | 210-807           | 34   | 211-856           | 33   | 264-900           | 46   |
| 210-333/1200-076  | 53   | 210-808           | 34   | 211-857           | 33   |                   |      |

# Item Number Index

| Item No.          | Page | Item No.          | Page | Item No.          | Page | Item No.          | Page |
|-------------------|------|-------------------|------|-------------------|------|-------------------|------|
| <b>264 Series</b> |      | <b>793 Series</b> |      | <b>793 Series</b> |      | <b>793 Series</b> |      |
| 264-901           | 46   | 793-4527          | 44   | 793-4656          | 45   | 793-542           | 44   |
| 264-902           | 46   | 793-4528          | 44   | 793-4657          | 45   | 793-543           | 43   |
| 264-903           | 47   | 793-4529          | 44   | 793-4658          | 45   | 793-544           | 43   |
| 264-904           | 47   | 793-4530          | 44   | 793-4659          | 45   | 793-545           | 43   |
| 264-905           | 47   | 793-4531          | 44   | 793-4660          | 45   | 793-546           | 43   |
|                   |      | 793-4532          | 44   | 793-4661          | 45   | 793-547           | 43   |
|                   |      | 793-4533          | 44   | 793-4662          | 45   | 793-5472          | 43   |
| <b>258 Series</b> |      | 793-4534          | 44   | 793-4663          | 45   | 793-5474          | 43   |
| 285-442           | 73   | 793-4535          | 44   | 793-4664          | 45   | 793-548           | 43   |
|                   |      | 793-4536          | 44   | 793-4666          | 42   | 793-5487          | 43   |
|                   |      | 793-4537          | 44   | 793-4667          | 42   | 793-549           | 43   |
| <b>709 Series</b> |      | 793-4538          | 44   | 793-4668          | 42   | 793-5494          | 43   |
| 709-118           | 69   | 793-4539          | 44   | 793-4674          | 43   | 793-5495          | 43   |
| 709-119           | 69   | 793-4540          | 44   | 793-4675          | 43   | 793-5496          | 43   |
| 709-120           | 69   | 793-4541          | 44   | 793-4676          | 43   | 793-5497          | 43   |
| 709-177           | 29   | 793-4542          | 44   | 793-4677          | 43   | 793-5498          | 43   |
| 709-178           | 29   | 793-4543          | 43   | 793-4678          | 43   | 793-550           | 43   |
| 709-193           | 69   | 793-4544          | 43   | 793-4679          | 43   | 793-5501          | 56   |
|                   |      | 793-4545          | 43   | 793-4680          | 43   | 793-5501/000-002  | 56   |
| <b>750 Series</b> |      | 793-4546          | 43   | 793-4681          | 43   | 793-5501/000-005  | 56   |
| 750-103           | 72   | 793-4547          | 43   | 793-4682          | 43   | 793-5501/000-006  | 56   |
| 750-105           | 72   | 793-4548          | 43   | 793-4683          | 43   | 793-5501/000-007  | 56   |
| 750-106           | 72   | 793-4549          | 43   | 793-4687          | 43   | 793-5501/000-012  | 56   |
| 750-107           | 72   | 793-4552          | 43   | 793-4694          | 43   | 793-5501/000-017  | 56   |
| 750-753           | 72   | 793-4553          | 45   | 793-4695          | 43   | 793-5501/000-023  | 56   |
|                   |      | 793-4554          | 45   | 793-4696          | 43   | 793-5501/000-024  | 56   |
|                   |      | 793-4555          | 45   | 793-4697          | 43   | 793-5502          | 42   |
| <b>757 Series</b> |      | 793-4556          | 45   | 793-4699          | 42   | 793-5503          | 42   |
| 757-901/000-050   | 29   | 793-4557          | 45   | 793-472           | 43   | 793-5504          | 42   |
|                   |      | 793-4558          | 45   | 793-474           | 43   | 793-5505          | 42   |
|                   |      | 793-4559          | 45   | 793-487           | 43   | 793-5506          | 42   |
| <b>793 Series</b> |      | 793-4560          | 45   | 793-4900          | 42   | 793-5507          | 42   |
| 793-3501          | 56   | 793-4561          | 45   | 793-494           | 43   | 793-5508          | 42   |
| 793-3502          | 42   | 793-4562          | 45   | 793-495           | 43   | 793-5509          | 42   |
| 793-3503          | 42   | 793-4563          | 45   | 793-4958          | 45   | 793-5510          | 42   |
| 793-3504          | 42   | 793-4564          | 45   | 793-496           | 43   | 793-5511          | 42   |
| 793-3505          | 42   | 793-4565          | 42   | 793-497           | 43   | 793-5512          | 42   |
| 793-3506          | 42   | 793-4566          | 42   | 793-498           | 43   | 793-5513          | 42   |
| 793-3507          | 42   | 793-4569          | 42   | 793-501           | 56   | 793-5514          | 42   |
| 793-3508          | 42   | 793-4570          | 42   | 793-501/000-002   | 56   | 793-5515          | 42   |
| 793-3509          | 42   | 793-4571          | 42   | 793-501/000-005   | 56   | 793-5516          | 42   |
| 793-3510          | 42   | 793-4572          | 42   | 793-501/000-006   | 56   | 793-5517          | 42   |
| 793-3544          | 43   | 793-4573          | 42   | 793-501/000-007   | 56   | 793-5518          | 44   |
| 793-3545          | 43   | 793-4574          | 43   | 793-501/000-012   | 56   | 793-5519          | 44   |
| 793-3565          | 42   | 793-4575          | 43   | 793-501/000-017   | 56   | 793-552           | 43   |
| 793-3566          | 42   | 793-4576          | 43   | 793-501/000-023   | 56   | 793-5520          | 44   |
| 793-3599          | 42   | 793-4577          | 43   | 793-501/000-024   | 56   | 793-5521          | 44   |
| 793-4472          | 43   | 793-4578          | 43   | 793-502           | 42   | 793-5522          | 44   |
| 793-4474          | 43   | 793-4579          | 43   | 793-503           | 42   | 793-5523          | 44   |
| 793-4487          | 43   | 793-4580          | 43   | 793-504           | 42   | 793-5524          | 44   |
| 793-4494          | 43   | 793-4581          | 43   | 793-505           | 42   | 793-5525          | 44   |
| 793-4495          | 43   | 793-4582          | 43   | 793-506           | 42   | 793-5526          | 44   |
| 793-4496          | 43   | 793-4583          | 43   | 793-507           | 42   | 793-5527          | 44   |
| 793-4501          | 56   | 793-4599          | 42   | 793-508           | 42   | 793-5528          | 44   |
| 793-4501/000-002  | 56   | 793-4602          | 42   | 793-509           | 42   | 793-5529          | 44   |
| 793-4501/000-005  | 56   | 793-4603          | 42   | 793-510           | 42   | 793-553           | 45   |
| 793-4501/000-006  | 56   | 793-4604          | 42   | 793-511           | 42   | 793-5530          | 44   |
| 793-4501/000-007  | 56   | 793-4605          | 42   | 793-512           | 42   | 793-5531          | 44   |
| 793-4501/000-012  | 56   | 793-4606          | 42   | 793-513           | 42   | 793-5532          | 44   |
| 793-4501/000-017  | 56   | 793-4607          | 42   | 793-514           | 42   | 793-5533          | 44   |
| 793-4501/000-023  | 56   | 793-4608          | 42   | 793-515           | 42   | 793-5534          | 44   |
| 793-4501/000-024  | 56   | 793-4609          | 42   | 793-516           | 42   | 793-5535          | 44   |
| 793-4502          | 42   | 793-4610          | 42   | 793-517           | 42   | 793-5536          | 44   |
| 793-4503          | 42   | 793-4611          | 42   | 793-518           | 44   | 793-5537          | 44   |
| 793-4504          | 42   | 793-4612          | 42   | 793-519           | 44   | 793-5538          | 44   |
| 793-4505          | 42   | 793-4613          | 42   | 793-520           | 44   | 793-5539          | 44   |
| 793-4506          | 42   | 793-4614          | 42   | 793-521           | 44   | 793-554           | 45   |
| 793-4507          | 42   | 793-4615          | 42   | 793-522           | 44   | 793-5540          | 44   |
| 793-4508          | 42   | 793-4616          | 42   | 793-523           | 44   | 793-5541          | 44   |
| 793-4509          | 42   | 793-4617          | 42   | 793-524           | 44   | 793-5542          | 44   |
| 793-4510          | 42   | 793-4618          | 44   | 793-525           | 44   | 793-5543          | 43   |
| 793-4511          | 42   | 793-4619          | 44   | 793-526           | 44   | 793-5544          | 43   |
| 793-4512          | 42   | 793-4620          | 44   | 793-527           | 44   | 793-5545          | 43   |
| 793-4513          | 42   | 793-4621          | 44   | 793-528           | 44   | 793-5546          | 43   |
| 793-4514          | 42   | 793-4622          | 44   | 793-529           | 44   | 793-5547          | 43   |
| 793-4515          | 42   | 793-4623          | 44   | 793-530           | 44   | 793-5548          | 43   |
| 793-4516          | 42   | 793-4624          | 44   | 793-531           | 44   | 793-5549          | 43   |
| 793-4517          | 42   | 793-4625          | 44   | 793-532           | 44   | 793-555           | 45   |
| 793-4518          | 44   | 793-4626          | 44   | 793-533           | 44   | 793-5550          | 43   |
| 793-4519          | 44   | 793-4627          | 44   | 793-534           | 44   | 793-5552          | 43   |
| 793-4520          | 44   | 793-4644          | 43   | 793-535           | 44   | 793-5553          | 45   |
| 793-4521          | 44   | 793-4645          | 43   | 793-536           | 44   | 793-5554          | 45   |
| 793-4522          | 44   | 793-4646          | 43   | 793-537           | 44   | 793-5555          | 45   |
| 793-4523          | 44   | 793-4652          | 43   | 793-538           | 44   | 793-5556          | 45   |
| 793-4524          | 44   | 793-4653          | 45   | 793-539           | 44   | 793-5557          | 45   |
| 793-4525          | 44   | 793-4654          | 45   | 793-540           | 44   | 793-5558          | 45   |
| 793-4526          | 44   | 793-4655          | 45   | 793-541           | 44   | 793-5559          | 45   |

## Item Number Index

| Item No.          | Page | Item No.          | Page | Item No.           | Page | Item No.           | Page |
|-------------------|------|-------------------|------|--------------------|------|--------------------|------|
| <b>793 Series</b> |      | <b>793 Series</b> |      | <b>793 Series</b>  |      | <b>2009 Series</b> |      |
| 793-556           | 45   | 793-5683          | 43   | 793-694            | 43   | 2009-114/000-024   | 28   |
| 793-5560          | 45   | 793-5687          | 43   | 793-695            | 43   | 2009-115           | 28   |
| 793-5561          | 45   | 793-569           | 42   | 793-696            | 43   | 2009-115/000-002   | 28   |
| 793-5564          | 45   | 793-5694          | 43   | 793-697            | 43   | 2009-115/000-005   | 28   |
| 793-5565          | 42   | 793-5695          | 43   | 793-698            | 43   | 2009-115/000-006   | 28   |
| 793-5566          | 42   | 793-5696          | 43   | 793-699            | 42   | 2009-115/000-007   | 28   |
| 793-5569          | 42   | 793-5697          | 43   | 793-900            | 42   | 2009-115/000-012   | 28   |
| 793-557           | 45   | 793-5698          | 43   | 793-958            | 45   | 2009-115/000-017   | 28   |
| 793-5570          | 42   | 793-5699          | 42   |                    |      | 2009-115/000-023   | 28   |
| 793-5571          | 42   | 793-570           | 42   | <b>794 Series</b>  |      | 2009-115/000-024   | 28   |
| 793-5572          | 42   | 793-571           | 42   | 794-4601           | 42   | 2009-141           | 28   |
| 793-5573          | 42   | 793-572           | 42   | 794-4602           | 42   | 2009-145           | 28   |
| 793-5574          | 43   | 793-573           | 42   | 794-4603           | 42   | 2009-145/000-002   | 28   |
| 793-5575          | 43   | 793-574           | 43   | 794-4604           | 42   | 2009-145/000-005   | 28   |
| 793-5576          | 43   | 793-575           | 43   | 794-4605           | 42   | 2009-145/000-006   | 28   |
| 793-5577          | 43   | 793-576           | 43   | 794-4615           | 45   | 2009-145/000-007   | 28   |
| 793-5578          | 43   | 793-577           | 43   | 794-4616           | 45   | 2009-145/000-012   | 28   |
| 793-5579          | 43   | 793-578           | 43   | 794-4617           | 45   | 2009-145/000-023   | 28   |
| 793-558           | 45   | 793-579           | 43   | 794-4618           | 45   | 2009-145/000-024   | 28   |
| 793-5580          | 43   | 793-580           | 43   | 794-4619           | 45   | 2009-163           | 69   |
| 793-5581          | 43   | 793-581           | 43   | 794-4672           | 43   | 2009-191           | 66   |
| 793-5582          | 43   | 793-582           | 43   | 794-4674           | 43   | 2009-192           | 66   |
| 793-5583          | 43   | 793-583           | 43   | 794-5557           | 42   | 2009-193           | 66   |
| 793-559           | 45   | 793-5900          | 42   | 794-5558           | 42   | 2009-196           | 66   |
| 793-5599          | 42   | 793-5958          | 45   | 794-557            | 42   | 2009-198           | 66   |
| 793-560           | 45   | 793-599           | 42   | 794-558            | 42   | 2009-515           | 28   |
| 793-5602          | 42   | 793-602           | 42   | 794-5601           | 42   | 2009-615           | 28   |
| 793-5603          | 42   | 793-603           | 42   | 794-5602           | 42   |                    |      |
| 793-5604          | 42   | 793-604           | 42   | 794-5603           | 42   |                    |      |
| 793-5605          | 42   | 793-605           | 42   | 794-5604           | 42   |                    |      |
| 793-5606          | 42   | 793-606           | 42   | 794-5605           | 42   |                    |      |
| 793-5607          | 42   | 793-607           | 42   | 794-5615           | 45   |                    |      |
| 793-5608          | 42   | 793-608           | 42   | 794-5616           | 45   |                    |      |
| 793-5609          | 42   | 793-609           | 42   | 794-5617           | 45   |                    |      |
| 793-561           | 45   | 793-610           | 42   | 794-5618           | 45   |                    |      |
| 793-5610          | 42   | 793-611           | 42   | 794-5619           | 45   |                    |      |
| 793-5611          | 42   | 793-612           | 42   | 794-5657           | 42   |                    |      |
| 793-5612          | 42   | 793-613           | 42   | 794-5658           | 42   |                    |      |
| 793-5613          | 42   | 793-614           | 42   | 794-5672           | 43   |                    |      |
| 793-5614          | 42   | 793-615           | 42   | 794-5674           | 43   |                    |      |
| 793-5615          | 42   | 793-616           | 42   | 794-601            | 42   |                    |      |
| 793-5616          | 42   | 793-617           | 42   | 794-602            | 42   |                    |      |
| 793-5617          | 42   | 793-618           | 44   | 794-603            | 42   |                    |      |
| 793-5618          | 44   | 793-619           | 44   | 794-604            | 42   |                    |      |
| 793-5619          | 44   | 793-620           | 44   | 794-605            | 42   |                    |      |
| 793-562           | 45   | 793-621           | 44   | 794-615            | 45   |                    |      |
| 793-5620          | 44   | 793-622           | 44   | 794-616            | 45   |                    |      |
| 793-5621          | 44   | 793-623           | 44   | 794-617            | 45   |                    |      |
| 793-5622          | 44   | 793-624           | 44   | 794-618            | 45   |                    |      |
| 793-5623          | 44   | 793-625           | 44   | 794-619            | 45   |                    |      |
| 793-5624          | 44   | 793-626           | 44   | 794-657            | 42   |                    |      |
| 793-5625          | 44   | 793-627           | 44   | 794-658            | 42   |                    |      |
| 793-5626          | 44   | 793-643           | 43   | 794-672            | 43   |                    |      |
| 793-5627          | 44   | 793-644           | 43   | 794-674            | 43   |                    |      |
| 793-563           | 45   | 793-645           | 43   |                    |      |                    |      |
| 793-564           | 45   | 793-646           | 43   | <b>807 Series</b>  |      |                    |      |
| 793-5643          | 43   | 793-647           | 43   | 807-090/101-100    | 32   |                    |      |
| 793-5644          | 43   | 793-648           | 43   |                    |      |                    |      |
| 793-5645          | 43   | 793-649           | 43   |                    |      |                    |      |
| 793-5646          | 43   | 793-650           | 43   | <b>200 Series</b>  |      |                    |      |
| 793-5647          | 43   | 793-652           | 43   | 2000-121           | 67   |                    |      |
| 793-5648          | 43   | 793-653           | 45   |                    |      |                    |      |
| 793-565           | 42   | 793-654           | 45   |                    |      |                    |      |
| 793-5652          | 43   | 793-655           | 45   | <b>2002 Series</b> |      |                    |      |
| 793-5653          | 45   | 793-656           | 45   | 2002-131           | 67   |                    |      |
| 793-5654          | 45   | 793-657           | 45   | 2002-160           | 66   |                    |      |
| 793-5655          | 45   | 793-658           | 45   | 2002-161           | 66   |                    |      |
| 793-5656          | 45   | 793-659           | 45   |                    |      |                    |      |
| 793-5657          | 45   | 793-660           | 45   |                    |      |                    |      |
| 793-5658          | 45   | 793-661           | 45   | <b>2009 Series</b> |      |                    |      |
| 793-5659          | 45   | 793-662           | 45   | 2009-110           | 29   |                    |      |
| 793-566           | 42   | 793-663           | 45   | 2009-113           | 28   |                    |      |
| 793-5662          | 45   | 793-664           | 45   | 2009-113/000-002   | 28   |                    |      |
| 793-5663          | 45   | 793-666           | 42   | 2009-113/000-005   | 28   |                    |      |
| 793-5664          | 45   | 793-667           | 42   | 2009-113/000-006   | 28   |                    |      |
| 793-5666          | 42   | 793-668           | 42   | 2009-113/000-007   | 28   |                    |      |
| 793-5667          | 42   | 793-674           | 43   | 2009-113/000-012   | 28   |                    |      |
| 793-5668          | 42   | 793-675           | 43   | 2009-113/000-017   | 28   |                    |      |
| 793-5674          | 43   | 793-676           | 43   | 2009-113/000-023   | 28   |                    |      |
| 793-5675          | 43   | 793-677           | 43   | 2009-113/000-024   | 28   |                    |      |
| 793-5676          | 43   | 793-678           | 43   | 2009-114           | 28   |                    |      |
| 793-5677          | 43   | 793-679           | 43   | 2009-114/000-002   | 28   |                    |      |
| 793-5678          | 43   | 793-680           | 43   | 2009-114/000-005   | 28   |                    |      |
| 793-5679          | 43   | 793-681           | 43   | 2009-114/000-006   | 28   |                    |      |
| 793-5680          | 43   | 793-682           | 43   | 2009-114/000-007   | 28   |                    |      |
| 793-5681          | 43   | 793-683           | 43   | 2009-114/000-012   | 28   |                    |      |
| 793-5682          | 43   | 793-687           | 43   | 2009-114/000-023   | 28   |                    |      |

# WAGO Worldwide

## Companies and Representatives

**Algeria**  
please contact WAGO France

**Argentina**  
Bruno Schillig S.A.  
Arenales 4030, B1604CFD  
Florida, PBA  
Phone +54 11 4730 1100  
Fax +54 11 4761 7244  
wago@schillig.com.ar

**Armenia**  
ROOT ITSP LLC  
33 Halabyan str.  
0038, Yerevan  
info@root.am

**Australia**  
WAGO Pty. Ltd.  
2-4 Overseas Drive  
Noble Park Victoria 3174  
Phone +61 03 8791 6300  
Fax +61 03 9701 0177  
sales.anz@wago.com

**NHP ELECTRICAL ENGINEERING  
PRODUCTS PTY LTD**  
43-67 River Street  
Richmond, Victoria, 3121  
P.O. Box 199  
Phone +61 3 9429 2999  
Fax +61 3 9429 1075  
export@wago.com

**Austria**  
WAGO Kontakttechnik Ges.m.b.H.  
Europaring F15 602  
Campus 21  
2345 Brunn am Gebirge  
Phone +43 1 6150780  
Fax +43 1 6150775  
wago-at@wago.com

**Azerbaijan**  
AZ Technics LTD  
Zulfi V. Alizade  
Y.Safarov str.33, AZ1025,  
Baku  
Phone +994 50 210 24 49  
Fax +994 12 496 83 34  
info@AZtechnics.az

**Bangladesh**  
please contact WAGO India

**Belarus**  
DemsEnergo LLC  
Smolyachkova Str. 16, Office 2  
220005 Minsk  
Phone +375 17 2102189  
Fax +375 17 2102189  
dems@dems.by

**ATAVA Techno Ltd.**  
Ul. Denisovskaya 47, Office 1  
220006 Minsk  
Phone: +375173881018  
atava@atava.by

**Belgium**  
WAGO BeLux nv  
Excelsiorlaan 11  
1930 Zaventem  
Phone +32 2 717 9090  
Fax +32 2 717 9099  
info-be@wago.com

**Bolivia**  
ISOTEK S.R.L.  
Zona Casco Viejo  
Calle Isso #578, B/San Roque  
Santa Cruz  
Phone +591 721 000 27  
info@isotek.bo

**Bosnia & Herzegovina**  
please contact WAGO Bulgaria

**AM-ELEKTRIK doo**  
Dzemalica Bijedica 160F  
71000 Sarajevo  
Phone +38762 59 99 54  
Fax +38733 92 23 89  
info@amelektrik.com  
www.am-elektrik.com

**Brazil**  
WAGO Eletroeletrônicos Ltda  
Rua Tripoli, 640, Lotamento Multivias II  
Jardim Ermida I  
Jundiaí - SP  
CEP 13212-217  
Phone +55 (11) 2923 7200  
info.br@wago.com

**Bulgaria**  
WAGO Kontakttechnik GmbH & Co. KG  
Representative Office Sofia  
Business Center Serdika  
2E Akad. Ivan Geshov Blvd.  
Building 1, Floor 4, Office 417  
1330 Sofia  
Phone +359 2 489 46 09/10  
Fax +359 2 928 28 50  
info-BG@wago.com

**Canada**  
WAGO Canada, Inc.  
1550 Yorkton Court - Unit 1  
Burlington, ON L7P 5B7  
Phone +1-888-9246-221  
info.ca@wago.com

**Chile**  
Desimat Chile  
Av Puerto Vespucio 9670  
Pudahuel Santiago  
Phone +56 2 747 0152  
Fax +56 2 747 0153  
ventaschile@desimat.cl

**China**  
WAGO Electronic (Tianjin) Co., Ltd.  
No.5, Quan Hui Road  
Wuqing Development Area  
Tianjin 301700  
Phone +86 22 5967 7688  
Fax +86 22 5961 7668  
info-cn@wago.com

**Colombia**  
T.H.L. Ltda.  
Cra. 49 B # 91-33  
Bogotá  
Phone +57 1 621 85 50  
Fax +57 1 621 60 28  
ventas-thl2@thl.com.co

**Croatia**  
M.B.A. d.o.o.  
Frana Supila 5  
51211 Matulji  
Phone +385 51 275-736  
Fax +385 51 275-066  
mba@ri.htnet.hr

**MICROSTAR d.o.o.**  
Siget 18 b  
10020 Zagreb  
Phone +385 1 3647 849  
Fax +385 1 3636 662  
wago@microstar.hr

**Czech Republic**  
WAGO Elektro spol. sr. o.  
Rozvodova 1116/36  
143 00 Praha 4 - Modřany  
Phone +420 261 090 143  
Fax +420 261 090 144  
info.cz@wago.com  
wago-cz@wago.com

**Denmark**  
WAGO Denmark A/S  
Lejrvej 17  
3500 Værløse  
Phone +45 44 357 777  
info.dk@wago.com

**Ecuador**  
ECUAINSETEC CIA LTDA  
Yugoslavia N34-110 y Azuay  
Quito  
Phone +593 2 24 50 475  
Fax +593 2 22 51 242  
g.castro@ecuainsetec.com.ec

**Egypt**  
KENANA Automation / System Integrator  
(Water & Waste Water)  
2 Building 10, Block 31  
Ibrahim Shehata Street  
Nasr City  
Cairo, Egypt  
Phone +2 01 02899 3434  
Fax +2 02 357 3353  
mohamed.bahgat@kenanaeg.com

**IBN Engineering / Distributor**  
(Automation Products)  
Phone +2 02 3721 4350  
Fax +2 02 3722 1709  
nasrelw@ibnengineering.com

**Barkouky Electric / System Integrator (Building Management)**  
Phone +2 02 2269 1192  
Fax +2 02 2269 1193  
ahmed@barkouky.com.eg

**Misc (Interconnection & Interface Products)**  
Phone +202 226 80994/7  
Fax +202 226 79469  
sales@miscegypt.com

**Estonia**  
Eltarko OÜ  
Treali tee 2 door 6  
Peetri küla  
Rae vald  
75312 Harjumaa  
Phone +372 651 7731  
Fax +372 651 7786  
andres@eltarko.ee

**Finland**  
WAGO Finland Oy  
Perintötie 2 C  
01510 Vantaa  
Phone +358 9 7744 060  
Fax +358 9 7744 0660  
tilaus@wago.fi

**France**  
WAGO Contact SAS  
Paris Nord 2  
83 Rue des Chardonnerets  
93290 - Tremblay en France  
B.P. 95947 - ROISSY CDG CEDEX  
Phone +33 1 4817 2590  
Fax +33 1 4863 2520  
info-fr@wago.com

**Germany**  
WAGO Kontakttechnik GmbH & Co. KG  
Hansastraße 27  
32423 Minden  
Phone +49 571 887-0  
Fax +49 571 887-169  
info@wago.com

**WAGO Kontakttechnik GmbH & Co. KG**  
Waldstraße 1  
99706 Sondershausen  
Phone +49 3632 659-0  
Fax +49 3632 659-100  
info@wago.com

**Great Britain**  
WAGO Limited  
Triton Park, Swift Valley Industrial Estate  
RUGBY  
Warwickshire, CV21 1SG  
Phone +44 1788 568 008  
Fax +44 1788 568 050  
uksales@wago.com

**Greece**  
PANAGIOTIS SP. DIMOULAS  
DIMOULAS AUTOMATIONS  
Kritis Str. 26  
10439 Athens  
Phone +30 210 883 3337  
Fax +30 210 883 4436  
wago.info@dimoulas.com.gr

**Honduras**  
CILASAS S.A. de C.V.  
Barrio Los Andes  
7 Calle entre 14 y 15 Ave. N.O.  
P.O. Box. 1061  
San Pedro Sula  
Phone +504 2557 1146/7  
Fax +504 2557 1149  
ventas@ieclasa.com

**Hong Kong**  
National Concord Eng., Ltd.  
Unit A-B, 5/F.  
Southeast Industrial Building  
611-619 Castle Peak Road  
Tsuen Wan, N.T.  
Phone +852 2429 2611  
Fax +852 2429 2164  
sales@nce.com.hk

**Hungary**  
WAGO Hungária KFT  
Ipári Park, Gyár u. 2  
2040 Budapest  
Phone +36 23 502-170  
Fax +36 23 502-166  
info.hu@wago.com

**Iceland**  
S. Gudjonsson ehf.  
Smidjuvegur 3  
200 Kópavogur  
Phone +354 520-4500  
Fax +354 520-4501  
export@wago.com

**India**  
WAGO Private Limited  
C-27, Sector-58, Phase-III  
Noida-201 301  
Gautam Budh Nagar (U.P.)  
Phone +91 120 438 8700  
Fax +91 120 438 8799  
info.india@wago.com

**Indonesia**  
please contact WAGO Singapore

**Iraq**  
please contact WAGO Middle East

**Ireland**  
Drives & Controls  
Unit F4, Riverview Business Park  
Nangor Road  
Dublin 12  
Phone +353 1 4604474  
Fax +353 1 4604507  
info@drivesandcontrols.ie

**Israel**  
Comtel Israel Electronic Solutions Ltd.  
Bet Hapaamon  
20 Hataas Street  
P.O. Box 66  
44425 Kefar-Saba  
Phone +972 9 76 77 240  
Fax +972 9 76 77 243  
sales@comPhoneco.il

**Italy**  
WAGO Elettronica SRL a Socio Unico  
Via Parini 1  
40033 Casalecchio di Reno (BO)  
Phone +39 051 6132112  
Fax +39 051 627174  
info-ita@wago.com

**Japan**  
WAGO Co. of JAPAN Ltd.  
Kinshicho Prime Tower  
1-5-7, Kameido, Koto-ku  
Tokyo 136-0071  
Phone +81 3 5627 2050  
Fax +81 3 5627 2055  
info-jp@wago.com

**Jordan**  
Oxgen for Engineering Systems Co. L.L.C  
PO Box: 2154 Amman  
11953 Jordan  
Phone +962 79 9 860 869  
Fax +962 655 211 89  
info@oxgn-grp.com

**Kazakhstan**  
Axima LLP  
232/2, Ryskulov avenue  
050061 Almaty  
Phone +7 727 356 52 91/92/93  
Fax +7 727 327 14 92/93  
trade1@axima.kz  
or@axima.kz

**TOO Technik-Trade**  
ul. i. A. Protosanova, 81  
070004 Ust-Kamenogorsk  
Phone +7 7232 254 064  
Fax +7 7232 253 251  
info@technik.kz

**Nova Solut LLC (System Integrator)**  
050042, The Republic Of Kazakhstan,  
Almaty city, Toktabayeva 23, #10  
Phone +7 777 206 04 76  
director@novasolut.kz  
tech@novasolut.kz

**Korea**  
WAGO Korea Co., Ltd.  
Room 205 AnyangMegaValley,  
268, Hagui-ro, Dongan-gu, Anyang-si,  
Gyeonggi-do, 14056, South Korea  
Phone +82 31 421 9500  
info.korea@wago.com

**Kosovo**  
please contact WAGO Bulgaria

**Latvia**  
INSTABALT LATVIA SIA  
Vestienas iela 6  
Riga, LV-1035  
Phone +371 6790 1188  
Fax +371 6790 1180  
info@instabalt.lv

**Lebanon**  
Gemayel Trading & Contracting  
Rue 55, Antonins Project-Bloc L  
P.O. BOX 70-1096  
Antelias, Lebanon  
Phone +961 3 22 30 29  
Fax +961 4 52 10 29  
info@gtclb.com

**Lithuania**  
INSTABALT LIT UAB  
Savanorių 187  
Vilnius, 2053  
Phone +370 52 322 295  
Fax +370 52 322 247  
info@instabalt.lt

**Luxembourg**  
please contact WAGO Belgium

**Malaysia**

WAGO Representative Office Malaysia  
No 806, Block A4, Leisure Commerce Square,  
No 9, Jalan PJS 8/9, 46150 Petaling Jaya,  
Selangor Darul Ehsan, Malaysia  
Phone +60 3 7877 1776  
Fax +60 3 7877 2776  
kian.guan.tan@wago.com

HPH Materials (M) Sdn Bhd  
No. 4, Jalan Nilam 1/6  
Suban Hi-Tech Industrial Park  
40000 Shah Alam  
Selangor, D.E. Malaysia  
Phone +60 3 5638 2213  
Fax +60 3 5638 8213  
info@hphmaterials.com

**Macedonia**

please contact WAGO Bulgaria

Kompjunet Inzenering  
Vladimir Komarov 1A-3/9  
1000 Skopje  
Phone +389 2 521 12 00

**Maldives**

please contact WAGO India

**Mexico**

WAGO SA de CV  
Carretera estatal 431 Km. 2+200  
Lote 99 Módulo 6  
Parque Industrial Tecnológico Innovsciön  
Querétaro  
El Marqués, Qro. 76246  
Phone +52 442 221 5946  
Fax +52 442 221 5063  
info.mx@wago.com

**Moldova**

Smart Delight SRL  
Bulgara Str. 9/6  
2001 Chisinau  
Moldau  
Phone +373 (373) 69 10 22 01  
alexandres@starnet.md

**Morocco**

Automatisme & Connection Maroc  
23, Rue Boured  
2ème étage, appt4  
Roche Noire  
20300 Casablanca  
Phone +212 522 24 21 72/73  
Fax +212 522 24 21 75  
info-fr@wago.com

**Nepal**

please contact WAGO India

**Netherlands**

WAGO Nederland B.V.  
Laan van de Ram 19  
7234 BW APELDOORN  
Phone +31 55 36 83 500  
Fax +31 55 36 83 599  
info-nl@wago.com

**New Zealand**

please contact WAGO Australia

NHP NZ  
7 Lockhart Place  
Mt Wellington  
Phone +64 9 2761967  
Fax +64 9 2761992  
export@wago.com

**Nigeria**

GIL Automations Ltd.  
Daily Times Complex  
2 Lateef Jakande Rd., Agidingbi  
100271 Ikeja, Lagos State  
Phone +234 17132672335  
sales@gilautomation.com

**Norway**

WAGO Norge AS  
Jerikoveien 20  
1067 Oslo  
Phone +47 22 30 94 50  
Fax +47 22 30 94 51  
info.no@wago.com

**Oman**

please contact WAGO Middle East

**Pakistan**

FuziLogiX Automation & Control  
Suit No. 14, 5th Floor, Shan Arcade  
New Garden Town, Lahore  
Phone +92 42 594 1503 - 4  
Fax +92 42 585 1431  
info@fuzilogix.com

**Pakistan**

S.A. Hamid & Co.  
7 Brandreth Road  
Lahore, 54000  
Phone +92 42 376 500 99  
Fax +92 42 376 513 91  
sales@sahamid.com

**Paraguay**

AESA  
Av. Madame Lynch  
c/Antolin Irala  
2309 Asunción  
Phone +59 521674524  
info@aesa.com.py

**Peru**

Manufacturas Eléctricas S.A.  
Av O.R. Benavides 1215  
15000 Lima  
Phone +511 6196200  
Fax +511 6196247  
ventas@manelsa.com.pe

**Philippines**

please contact WAGO Singapore

**Poland**

WAGO ELWAG sp. z o. o.  
ul. Piękna 58 a  
50-506 Wrocław  
Phone +48 71 3602970  
Fax +48 71 3602999  
wago.elwag@wago.com

**Portugal**

MORGADO & CA. LDA - SEDE  
Estrada Exterior da  
Circunvalação 3558/3560  
Apartado 1057  
4435 Rio Tinto  
Phone +351 22 9770600  
Fax +351 22 9770699  
geral@morgadocl.pt

**Quatar**

GEBD - Gulf European Business  
Development - Company W.L.L.)  
PO Box: 20 000  
Doha, Quatar  
Phone +974 5591 5682  
info@gebdcc.com

**Romania**

WAGO Kontakttechnik GmbH & Co. KG  
Representative Office Romania  
Sos. Pipera-Tunari nr. 1/1  
building 1, 2nd floor  
077190 Voluntari, Ilfov  
Phone +40-(0)31 421 85 68  
info-RO@wago.com

**VDR & Servicii srl**

Str. Valeriu Braniște, nr. 60, ap.1,  
sector 3  
Phone +40 21 322 5074/76  
Fax +40 21 322 5075  
office@componente-automatizari.ro

**Russia**

OOO WAGO Contact Rus  
Ilmskaya street 5, bldg. 2  
127576 Moscow  
Phone +7 495 223-4747  
info.ru@wago.com  
www.wago.ru

**OOO Prosoft**

ul. Profsovnaznaya, 108  
117437 Moscow  
Phone +7 495 2340636  
Fax +7 495 2340640  
info@prosoft.ru

**Saudi Arabia**

Saudi Electronic Trading  
P.O. Box 60712  
Riyadh 11555  
Phone +966 11 2063 377  
Fax +966 11 4633 297  
info@setra.com.sa

**Serbia**

please contact WAGO Bulgaria

**Mehatronik Sistem d.o.o.**

Bul. Oslobođenja 30  
32000 Cacak  
Phone +381 (0)32 310 088  
Fax +381 (0)32 371 571  
Mobil +381 (0)64 877 22 02  
office@mehatronik.com

Sigma Controls Engineering d.o.o  
Jovana Skerlica 22  
18000 Nis  
Mobil +381 (0)63 403 104  
wago@sce.rs  
www.sce.rs

**Singapore**

WAGO Electronic Pte Ltd  
138 Joo Seng Road #06-01  
Singapore 368361  
Phone +65 62866776  
Fax +65 62842425  
info-sing@wago.com  
www.wago.sg

**Slovakia**

Proelektro spol. s r.o.  
Na barine 22  
841 03 Bratislava - Lamač  
Phone +421 2 4569 2503  
info@wago.sk

**Slovenia**

IC elektronika d.o.o.  
Vodovodna cesta 100  
1000 Ljubljana  
Phone +386 1568 01 26  
Fax: +386 1568 91 07  
info@ic-elect.si

**South Africa**

Shorrock Automation CC  
Nelmapius drive  
5 Regency Drive, Route 21 Corp. Park  
0051 Centurion  
Phone +27 12 4500300  
Fax +27 12 4500322  
sales@shorrock.co.za

**Spain**

DICOMAT S.L.  
Avda. de la Industria, 36  
Apartado Correos, 1.178  
28108-Alcobendas (Madrid)  
Phone +34 91 662 1362  
Fax +34 91 661 0089  
info@dicomat-asetyc.com

**Sri Lanka**

please contact WAGO India

**Sweden**

WAGO Sverige AB  
Box 11127, 161 11 BROMMA  
Besöksadress: Adolfsbergsv. 31  
Phone +46 858410680  
info.se@wago.com

**Switzerland**

WAGO CONTACT SA  
Rte. de l'Industrie 19  
Case Postale 168  
1564 Domdidier  
Phone +41/26 676 75 00  
Fax +41/26 676 75 01  
info.switzerland@wago.com

**Syria**

Zahabi Co.  
8/5 Shouhadaa St., P.O. Box 8262  
Aleppo  
Phone +963 21 21 22 235 / 6  
Fax +963 21 21 22 23 7  
info.uae@wago.com

**Taiwan R.O.C.**

WAGO Contact, Ltd.  
5F., No.168, Jiankang Rd  
Zhonghe City  
Taipei County 23585, Taiwan  
Phone +886 2 2225 0123  
Fax +886 2 2225 1511  
info.taiwan@wago.com

**Thailand**

WAGO Representative Office Thailand  
4th Floor, KS Building  
213/6-8 Rachada-Phisek Road  
Dingdaeng, Bangkok 10400  
Phone +66 2 6935611  
Fax +66 2 6935612  
warongkon.khankham@wago.com

**US Power Distribution Co., Ltd.**

4th Floor, KS Building  
213/6-8 Rachada-Phisek Road  
Dingdaeng, Bangkok 10400  
Phone +66 2 2763040  
Fax +66 2 2763049  
uspwer2014@gmail.com

**Itthirit Technology Co., Ltd.**

Visition Business Park 2 Floor 4  
Soi Raminthra 55/8, Watcharapon Road  
Tharaeng, Bangkok District  
Bangkok Thailand 10220  
Phone +66 2 347 0780  
Fax +66 2 347 0772  
sales@itthirittechnology.com

**Tunisia**

please contact WAGO France

**Turkey**

WAGO Elektronik Sanayi ve Ticaret Ltd. Şti.  
Yukarı Dudullu Mahallesi Bayraktar Bulvarı  
Cad. Hattat Sok. No. 10  
34775 Ümraniye - İstanbul  
Phone +90 216 472 1133  
Fax +90 216 472 9910  
info.tr@wago.com

**Ukraine**

NPP Logicon  
Predslavinskaya street, 39, Office 303  
03150 Kiev  
Phone +380 44 5228019  
Fax +380 44 2611803  
info@logicon.ua

**Micropribor Ltd.**

4, Krzhizhanovskiy Str.  
03142 Kiev  
Phone +380 44 392 93 86  
Fax +380 44 392 93 87  
sales@micropribor.kiev.ua

**United Arab Emirates (UAE)**

WAGO Middle East (FZC)  
SAIF Zone, Q4-282  
P.O. Box 120665  
Sharjah, UAE  
Phone +971 6 5579920  
Fax +971 6 5579921  
info.uae@wago.com

**Uruguay**

Fivisa Electricidad  
Avda. Uruguay 1274  
11100 Montevideo  
Phone +59 829 020 808  
Fax +59 829 021 230  
info@fivisa.com.uy

**USA**

WAGO CORPORATION  
N120 W19129 Freistadt Road  
Germantown, WI 53022  
Phone +1 262 255 6222  
Fax +1 262 255 3232  
Toll-Free: 1-800 DIN Rail (346-7245)  
info.us@wago.com

**Venezuela**

PETROBORNAS, C.A.  
C.C. PLAZA AEROPUERTO - PISO 1 - LOCAL  
P1-B-03  
(8015) UNARE - PUERTO ORDAZ -  
ESTADO BOLÍVAR  
REPÚBLICA BOLIVARIANA DE  
VENEZUELA  
Phone +58 286 951 3382  
Fax +58 286 951 3382  
info@petrobornas.com

**Vietnam**

please contact WAGO Germany (Minden)

Version: 02/2019

Current addresses at www.wago.com

## Notes


This image shows a full page of blank graph paper. The grid consists of small, uniform squares formed by thin, light gray lines. There are no margins, text, or other markings on the page.

This image shows a full page of blank graph paper. The grid consists of small, equal-sized squares formed by thin, light gray lines. There are no margins, text, or other markings on the page. The grid covers the entire area from edge to edge.

## Notes

[illegible]

This image shows a full page of blank graph paper. The grid consists of thin, light gray horizontal and vertical lines that intersect to form small squares across the entire surface. There are no margins, text, or other markings on the paper.



## WAGO Marking

## Notes

This image shows a full page of blank graph paper. The grid consists of small, uniform squares formed by thin, light gray lines. There are no margins, text, or other markings on the page.



**WAGO Kontakttechnik GmbH & Co. KG**

Postfach 2880 · D · 32385 Minden  
Hansastraße 27 · D · 32423 Minden  
[info@wago.com](mailto:info@wago.com)  
[www.wago.com](http://www.wago.com)

|               |                      |
|---------------|----------------------|
| Headquarters  | +49 571 887 - 0      |
| Sales         | +49 571 887 - 44222  |
| Order Service | +49 571 887 - 44333  |
| Fax           | +49 571 887 - 844169 |